

# SAFETY DATA SHEET

An Employee-Owned Company

Issue Date 22-Jan-2015

Revision Date 19-Sep-2019

Version 3

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier.

**Product Name** 

ORNAMEC® Over-The-Top Grass Herbicide

Other means of identification

**Product Code** PBI FP 7781086 EPA Pesticide Registration Number 2217-728 12/1 U.S. Quart **Product Size** 

Recommended use of the chemical and restrictions on use

Recommended Use

Herbicide

Uses advised against

No information available

Details of the supplier of the safety data sheet

Supplier Address

P.O. Box 860350

PBI-Gordon Corporation

Company Name

PBI-Gordon Corporation

P.O. Box 860350

Manufacturer

PBI-Gordon Corporation P.O. Box 860350

Shawnee, KS 66286

Shawnee, KS 66286

Shawnee, KS 66286

Emergency telephone number

24 Hour Emergency Phone Number Chemtrec 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

### Classification

**OSHA Regulatory Status** 

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute Inhalation Toxicity - Gases	Category 3
Acute Inhalation Toxicity - Dusts and Mists	Category 4
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1A
Reproductive toxicity	Category 2
Aspiration hazard	Category 1
Acute Aquatic Toxicity	Category 2
Chronic Aquatic Toxicity	Category 2
Flammable liquids	Category 3

## Label elements

### **Emergency Overview**

### Signal word

Danger

#### Hazard statements

- Toxic if inhaled
- May cause genetic defects
- May cause cancer
- Suspected of damaging fertility or the unborn child
- Toxic to aquatic life with long lasting effects
- May be fatal if swallowed and enters airways
- Flammable liquid and vapor



Appearance Liquid

Physical state Liquid

Odor Solvent

#### Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

### Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER or doctor

IF SWALLOWED: Immediately call a POISON CENTER or doctor

Do NOT induce vomiting

In case of fire: Use CO2, dry chemical, or foam to extinguish

#### Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Have the product label with you when calling a poison control center or doctor or going in for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.

## Other information

Not applicable.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Substance

Not applicable.

#### Mixture

Chemical name	CAS-No	Weight-%
Trade Secret	Trade secret	40 - 50%
Trade Secret	Trade secret	40 - 50%
Fluazifop-p-butyl	79241-46-6	6.75
Trade Secret	Trade secret	0 - 10%
Trade Secret	Trade secret	0 - 10%

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get

medical advice/attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. If symptoms persist, call a physician.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If symptoms persist, call a physician.

Inhalation Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing is

irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Delayed pulmonary edema may occur. Call a

physician.

Ingestion ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE.

Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Clean mouth with water and drink afterwards plenty of water. Never give

anything by mouth to an unconscious person. Call a physician.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid direct

contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

Symptoms Difficulty in breathing. Coughing and/ or wheezing, Dizziness,

Indication of any immediate medical attention and special treatment needed

Note to physicians Contains petroleum distillate - vomiting may cause aspiration pneumonia.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Alcohol resistant foam.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire

extinguishing water must be disposed of in accordance with local regulations.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

Special protective equipment for

fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take

precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so Prevent product from entering drains Do

not flush into surface water or sanitary sewer system See Section 12 for additional

ecological information Avoid release to the environment Dispose of contents/container to an

approved waste disposal plant Collect spillage

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb spill with inert material

(e.g. dry sand or earth), then place in a chemical waste container.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Use

Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Keep out of the reach of children.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

#### **Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Trade Secret	TWA: 20 ppm	TWA: 200 ppm	IDLH: 500 ppm
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	• • • • • • • • • • • • • • • • • • • •	(vacated) TWA: 100 ppm	TWA: 100 ppm
		(vacated) TWA: 375 mg/m <sup>3</sup>	TWA: 375 mg/m <sup>3</sup>
		(vacated) STEL: 150 ppm	STEL: 150 ppm
		(vacated) STEL: 560 mg/m <sup>3</sup>	STEL: 560 mg/m <sup>3</sup>
		Ceiling: 300 ppm	, and the second

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Chemical resistant gloves.

Skin and body protection Wear long-sleeved shirt, long pants, socks and shoes. Chemical resistant apron. Antistatic

boots.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical stateLiquidAppearanceLiquidColorAmberOdorSolvent

Odor threshold No information available

Property Values Remarks • Method

pH Not applicable None known

Melting point/freezing point <35 °F

Evaporation rate < 1

Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability limit: 7.0
Lower flammability limit: 1.1
Vapor pressure <2 mm Hg
Vapor density >1
Specific Gravity 0.89121
Water solubility Emulsifiable

Solubility in other solvents
Partition coefficient
Autoignition temperature
No data available
No data available
None known

Other Information

Oxidizing propertiesNo information availableLiquid Density7.43 pounds/gallonBulk densityNo information available

## 10. STABILITY AND REACTIVITY

Reactivity

No information available.

Stability

No information available

#### Possibility of hazardous reactions

None under normal processing.

## Hazardous polymerization

Will not occur.

#### Conditions to avoid

Heat, flames and sparks.

#### Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

#### Hazardous decomposition products

May emit toxic fumes under fire conditions. Carbon dioxide (CO2). Carbon monoxide. Nitrogen oxides (NOx). Halogens.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

### **Product Information**

Inhalation

Aspiration into lungs can produce severe lung damage. May cause pulmonary edema.

Pulmonary edema can be fatal. May cause irritation of respiratory tract.

Eye contact

May cause irritation.

Skin contact

Repeated exposure may cause skin dryness or cracking. May be harmful in contact with

skin.

Ingestion

Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may

cause pulmonary edema and pneumonitis.

## Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Trade Secret	<del>-</del>	-	= 3900 mg/m³ (Rat)4 h
Trade Secret	= 8400 mg/kg (Rat)	> 2000 mg/kg ( Rabbit )	= 3400 ppm (Rat) 4 h
Fluazifop-p-butyl 79241-46-6	= 2712 mg/kg ( Rat )	> 2 g/kg(Rabbit)	-
Trade Secret	> 5000 mg/kg(Rat)	> 2 mL/kg(Rabbit)	> 590 mg/m³(Rat)4 h
Trade Secret	= 2600 mg/kg ( Rat )	= 12000 mg/kg (Rabbit)	= 12.5 mg/L (Rat)4 h

## Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** 

Difficulty in breathing. Coughing and/ or wheezing. Dizziness.

### **Acute toxicity**

## Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)

6644 mg/kg

ATEmix (dermal)

2034 mg/kg

ATEmix (inhalation-gas)

705 mg/L

ATEmix (inhalation-gus)

2 mg/L

### **Unknown Toxicity**

99 % of the mixture consists of ingredient(s) of unknown toxicity

49 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

49 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

13 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

99 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

13 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damageleye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity Contains a known or suspected mutagen.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Trade Secret	A2	Group 1	Known	X
Trade Secret	-	Group 3	-	-
		·		

#### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity Contains a known or suspected reproductive toxin.

STOT - single exposure No information available.

**STOT - repeated exposure**No information available.

Target Organ Effects Central nervous system, blood, Eyes, Respiratory system, Skin.

**Aspiration hazard** May be fatal if swallowed and enters airways.

## 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Trade Secret	-	5000: 96 h Oncorhynchus mykiss mg/L LC50	-	1000: 48 h Daphnia magna mg/L EC50
Trade Secret	-	9.22: 96 h Oncorhynchus mykiss mg/L LC50	-	6.14: 48 h Daphnia magna mg/L EC50
Trade Secret	2.5: 72 h Skeletonema costatum mg/L EC50	41: 96 h Pimephales promelas mg/L LC50 1740: 96 h Lepomis macrochirus mg/L LC50 static 19: 96 h Pimephales promelas mg/L LC50 static 2.34: 96 h Oncorhynchus mykiss mg/L LC50 45: 96 h Pimephales	-	0.95: 48 h Daphnia magna mg/L EC50

		promelas mg/L LC50 flow-through	
Trade Secret	12.5: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 433: 96 h Pseudokirchneriella subcapitata mg/L EC50	5.8: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 5.89 - 7.81: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 15.22 - 19.05: 96 h Pimephales promelas mg/L LC50 flow-through 12.6: 96 h Pimephales promelas mg/L LC50 static 50.87 - 70.34: 96 h Poecilia reticulata mg/L LC50 static 11.0 - 15.0: 96 h Lepomis macrochirus mg/L LC50 static 14.1 - 17.16: 96 h Oncorhynchus mykiss mg/L LC50 static 54: 96 h Oryzias latipes mg/L LC50 static 28.2: 96 h Poecilia reticulata mg/L LC50 semi-static	5.46 - 9.83: 48 h Daphnia magna mg/L EC50 Static 11.5: 48 h Daphnia magna mg/L EC50

Persistence and degradability No information available.

Bioaccumulation No information available.

Other adverse effects Toxic to fish and aquatic invertebrates.

### 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Disposal should be in accordance with

applicable regional, national and local laws and regulations.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers.

**US EPA Waste Number** 

D001.

## 14. TRANSPORT INFORMATION

Note: Limited quantity applies with an inner packaging less than 5 L or

gross package weight less than 30 kg.

DOT

UN/ID no. UN2903

Proper shipping name PESTICIDES, LIQUID, TOXIC, FLAMMABLE, N.O.S.

Hazard class 6.1
Subsidiary class 3
Packing group III

Special Provisions B1, IB3, T7, TP2

Description UN2903, PESTICIDES, LIQUID, TOXIC, FLAMMABLE, N.O.S. (Fluazifop-p-butyl), 6.1 (3),

III, Limited quantity

**TDG** 

UN/ID no. UN290

Proper shipping name PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S.

Hazard class 6.1
Subsidiary class 3
Packing group III

Description UN2903, PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S. (Fluazifop-p-butyl), 6.1 (3),

### III, Limited quantity

MEX

UN/ID no. UN2903

Proper shipping name PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S.

Hazard class 6.1

Special Provisions 61, 223, 274

Packing group ||

Description UN2903, PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S. (Fluazifop-p-butyl), 6.1 (3),

III, Limited quantity

ICAO (air)

UN/ID no. UN2903

Proper shipping name PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S.

Hazard class 6.1
Subsidiary hazard class 3
Packing group III
Special Provisions A3, A4

Description UN2903, PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S. (Fluazifop-p-butyl), 6.1 (3), III

IATA

UN number UN2903

UN proper shipping name PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S.

Transport hazard class(es) 6.1
Subsidiary hazard class 3
Packing group III
Special Provisions A3, A4

Description UN2903, PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S. (Fluazifop-p-butyl), 6.1 (3), III

<u>IMDG</u>

UN number UN2903

UN proper shipping name PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S.

Transport hazard class(es) 6.1
Subsidiary hazard class 3
Packing group III
EmS-No. F-E, S-D
Special Provisions 61, 223, 274

Description UN2903, PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S. (FLUAZIFOP-P-BUTYL), 6.1

(3), III, (44°C C.C.), LIMITED QUANTITY

### 15. REGULATORY INFORMATION

#### U.S. EPA Label Information

## **EPA Pesticide Registration Number** 2217-728

Federal Insecticide, Fungicide, Rodenticide Act Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:.

#### **EPA Pesticide Label**

CAUTION

KEEP OUT OF REACHOF CHILDREN

PRECAUTIONARY STATEMENTS

Hazards To Humans And Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals

Environmental Hazards

This product is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the

mean high water mark. Do not contaminate water when disposing of equipment washwater. Do not apply when weather conditions favor drift from target area. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas Physical and Chemical Hazards

Do not use or store near heat or open flame

#### International Inventories

TSCA	Not Listed
DSL/NDSL	Not Listed
EINECS/ELINCS	Not Listed
ENCS	Not Listed
IECSC	Not Listed
KECL	Not Listed
PICCS	Not Listed
AICS	Not Listed

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Trade Secret -	1.0
Trade Secret -	1.0

## SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Trade Secret	1000 lb	X	X	X

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Trade Secret	1000 lb 1 lb	-

## **US State Regulations**

### U.S. State Right-to-Know Regulations

**US State Regulations** 

Chemical name	New Jersey	Massachusetts	Pennsylvania
Trade Secret	-	X	-
Trade Secret	×	×	X

Trade Secret	X	X	X

## **16. OTHER INFORMATION**

NFPA Hea

Health hazards 3

Flammability 2

Instability 0

Physical and Chemical

Properties -

HMIS

Health hazards 3 \*

Flammability 2

Physical hazards 0

Personal protection X

Chronic Hazard Star Legend

\* = Chronic Health Hazard

#### **Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of PBI Gordon Corporation's knowledge, information and belief at the date of this publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process, unless specified in the text. PBI GORDON CORPORATION MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. Given the variety of factors that can affect the use and application of this product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. Each user is also responsible for evaluating the conditions of use and designing the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. PBI Gordon Corporation assumes no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.

**End of Safety Data Sheet** 

	TOTAL TARILLA AND ALL THE REPORT OF THE PARTY OF THE PART
	1901-izi-o)-o-izagazi dikini zirio za