

SAFETY DATA SHEET

Revision Date 30-Apr-2015 Version 1

1. IDENTIFICATION

Product identifier

Product Name Gumout Expert Series All-In-One Fuel System Cleaner

Other means of identification

Product Code 31059

Document SKU 5100061

Synonyms None

Recommended use of the chemical and restrictions on use
Recommended Use Fuel System Cleaner Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Address Manufacturer Address Distributor

ITW Global Brands 6925 Portwest Dr., Suite 100

Houston, TX 77024

Company Phone Number 1-855-888-1988

24 Hour Emergency Phone Number (CHEMTREC) 1-800-424-9300 or 1-703-527-3887 (U.S.)

(RMPDC) 1-877-504-9352 (U.S.)

E-mail address SDS@itwgb.com

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Carcinogenicity | Category 1B |
|---------------------|-------------|
| Aspiration toxicity | Category 1 |

Label elements

Emergency Overview

Danger

May cause cancer May be fatal if swallowed and enters airways Combustible



Appearance Clear, yellow Physical state Liquid Odor Hydrocarbon

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash hands thoroughly after handling

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Keep out of reach of children

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

May be harmful in contact with skin. Toxic to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

substance(s)

| Chemical Name | CAS No | Weight-% | Trade Secret |
|---|------------|----------|--------------|
| DISTILLATES (PETROLEUM), HYDROTREATED LIGHT | 64742-47-8 | 30 - 60 | * |
| DISTILLATES (PETROLEUM), SWEETENED MIDDLE | 64741-86-2 | 10 - 30 | * |
| SOLVENT NAPHTHA (PETROLEUM), HEAVY AROM. | 64742-94-5 | 1 - 5 | * |
| NAPHTHALENE | 91-20-3 | 0.1 - 1 | * |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice Get medical advice/attention if you feel unwell.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin contact IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician.

Wash contaminated clothing before reuse.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If symptoms persist, call a physician.

Ingestion IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Call a physician.

Self-protection of the first aider

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms See section 2 for more information.

Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry chemical, CO2, sand, earth, water spray or regular foam

Unsuitable extinguishing media

None.

Specific hazards arising from the chemical

As this product contains combustible organic components, fire will produce dense smoke containing hazardous products of combustion.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautionsAvoid contact with eyes and skin. Ensure adequate ventilation, especially in confined areas.

Use personal protective equipment as required.

Environmental precautions

Environmental precautions Do not flush into surface water or sanitary sewer system. Prevent product from entering

drains. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Clean up spill thoroughly as residue is slippery. Ensure adequate ventilation. Soak up with

inert absorbent material. Sweep up and shovel into suitable containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid breathing

vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required.

Conditions for safe storage, including any incompatibilities

Revision Date 30-Apr-2015

Keep out of the reach of children. Do not expose to temperatures exceeding 50 °C/122 °F. **Storage Conditions**

Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static

electricity).

Incompatible materials Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| L | Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---|---------------|-------------|--------------------------------------|----------------------------|
| ſ | NAPHTHALENE | TWA: 10 ppm | TWA: 10 ppm | IDLH: 250 ppm |
| | 91-20-3 | S* | TWA: 50 mg/m ³ | TWA: 10 ppm |
| | | | (vacated) TWA: 10 ppm | TWA: 50 mg/m ³ |
| | | | (vacated) TWA: 50 mg/m ³ | STEL: 15 ppm |
| | | | (vacated) STEL: 15 ppm | STEL: 75 mg/m ³ |
| | | | (vacated) STEL: 75 mg/m ³ | - |

NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Controls Showers

> **Evewash stations** Ventilation systems

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin and body protection Wear protective gloves and protective clothing.

Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation Respiratory protection

wear respiratory protection.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of

equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid **Appearance** Clear, yellow Odor Hvdrocarbon

No information available **Odor threshold**

Property **Values** Remarks • Method

Not Applicable Hq

Melting point / freezing point No information available

Boiling point / boiling range No information available Typical 62.7°C / 145.0°F Flash point No information available **Evaporation rate** No information available Flammability (solid, gas)

Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit: No information available

Vapor pressure Not Determined

Vapor density No information available

Relative density 0.86 Water solubility Negligible

Solubility in other solvents No information available **Partition coefficient** No information available **Autoignition temperature** No information available No information available **Decomposition temperature** Kinematic viscosity No information available Dynamic viscosity No information available **Explosive properties** No information available **Oxidizing properties** No information available

Other Information

Softening point
Molecular weight
VOC Content (%)

No information available
No information available
Not Determined

Density 0.86

Bulk density No information available

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal use

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Keep away from all heat sources, open flames and other sources of ignition.

Incompatible materials

Strong oxidizing agents

Hazardous Decomposition Products

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation May cause irritation of respiratory tract. Inhalation of vapors in high concentration may

cause irritation of respiratory system.

Eye contact Contact with eyes may cause irritation. May cause redness and tearing of the eyes.

Skin contact May cause skin irritation and/or dermatitis. Prolonged skin contact may defat the skin and

produce dermatitis.

Ingestion Ingestion may cause irritation to mucous membranes. May cause central nervous system

depression. Aspiration may cause pulmonary edema and pneumonitis.

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|--------------------|----------------------|---------------------|
| DISTILLATES (PETROLEUM), HYDROTREATED LIGHT 64742-47-8 | > 5000 mg/kg(Rat) | > 2000 mg/kg(Rabbit) | > 5.2 mg/L (Rat)4 h |
| DISTILLATES (PETROLEUM), SWEETENED MIDDLE 64741-86-2 | > 5000 mg/kg (Rat) | > 2000 mg/kg(Rabbit) | = 4.6 mg/L (Rat)4 h |

| SOLVENT NAPHTHA (PETROLEUM), HEAVY AROM. 64742-94-5 | > 5000 mg/kg(Rat) | > 2 mL/kg(Rabbit) | > 590 mg/m³(Rat)4 h |
|---|----------------------------------|-----------------------------------|-----------------------|
| NAPHTHALENE | = 1110 mg/kg (Rat) = 490 mg/kg (| = 1120 mg/kg (Rabbit) > 20 g/kg (| > 340 mg/m³ (Rat) 1 h |
| 91-20-3 | Rat) | Rabbit) | |

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available. Sensitization Germ cell mutagenicity No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|---------------|-------|----------|------------------------|------|
| NAPHTHALENE | A3 | Group 2A | Reasonably Anticipated | X |
| 91-20-3 | | - | | |

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer) Group 2A - Probably Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

The following values are calculated based on chapter 3.1 of the GHS document .

5012 mg/kg ATEmix (oral) 2005 mg/kg ATEmix (dermal)

12. ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|--|---|---|--|
| DISTILLATES (PETROLEUM), HYDROTREATED LIGHT 64742-47-8 | - | 45: 96 h Pimephales promelas mg/L LC50 flow-through 2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static | 4720: 96 h Den-dronereides heteropoda mg/L LC50 |
| DISTILLATES (PETROLEUM), SWEETENED MIDDLE 64741-86-2 | - | 35: 96 h Pimephales promelas mg/L LC50 flow-through | - |
| SOLVENT NAPHTHA (PETROLEUM), HEAVY AROM. 64742-94-5 | 2.5: 72 h Skeletonema costatum mg/L EC50 | 19: 96 h Pimephales promelas mg/L LC50 static 41: 96 h Pimephales promelas mg/L LC50 2.34: 96 h Oncorhynchus mykiss mg/L LC50 1740: 96 h Lepomis macrochirus mg/L LC50 static 45: 96 h Pimephales promelas mg/L LC50 flow-through | 0.95: 48 h Daphnia magna mg/L EC50 |
| NAPHTHALENE 91-20-3 | 0.4: 72 h Skeletonema costatum mg/L EC50 | 5.74 - 6.44: 96 h Pimephales promelas mg/L LC50 flow-through 1.6: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.91 - 2.82: 96 h Oncorhynchus mykiss mg/L LC50 static 1.99: 96 h Pimephales promelas mg/L LC50 static 31.0265: 96 h Lepomis macrochirus mg/L LC50 static | 2.16: 48 h Daphnia magna mg/L LC50 1.09 - 3.4: 48 h Daphnia magna mg/L EC50 Static 1.96: 48 h Daphnia magna mg/L EC50 Flow through |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

Disperses in water.

| Chemical Name | Partition coefficient |
|--|-----------------------|
| SOLVENT NAPHTHA (PETROLEUM), HEAVY AROM. 64742-94-5 | 2.9 - 6.1 |
| NAPHTHALENE 91-20-3 | 3.3 |

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastesRecover or recycle if possible. Disposal should be in accordance with applicable regional,

national and local laws and regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number U165

| Chemical Name | RCRA | RCRA - Basis for Listing | RCRA - D Series Wastes | RCRA - U Series Wastes |
|---------------|------|----------------------------|------------------------|------------------------|
| NAPHTHALENE | U165 | Included in waste streams: | - | U165 |
| 91-20-3 | | F024, F025, F034, F039, | | |
| | | K001, K035, K060, K087, | | |
| | | K145 | | |

| Chemical Name | RCRA - Halogenated Organic Compounds | RCRA - P Series Wastes | RCRA - F Series Wastes | RCRA - K Series Wastes |
|------------------------|---|------------------------|--|------------------------|
| NAPHTHALENE 91-20-3 | - | - | Toxic waste waste number F025 Waste description: Condensed light ends, spent filters and filter aids, and spent desiccant wastes from the production of certain chlorinated aliphatic hydrocarbons, by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of chlorine substitution. | - |

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste Status |
|---------------|-----------------------------------|
| NAPHTHALENE | Toxic |
| 91-20-3 | |

14. TRANSPORT INFORMATION

DOT

Proper shipping name: Not regulated

IATA

Proper shipping name: Not regulated

IMDG

Proper shipping name: Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies **DSL/NDSL** Complies Complies **EINECS/ELINCS** Not determined **ENCS** Not determined **IECSC KECL** Not determined **PICCS** Not determined **AICS** Not determined

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | SARA 313 - Threshold Values % | |
|-----------------------------------|-------------------------------|--|
| NAPHTHALENE - 91-20-3 | 0.1 | |
| SARA 311/312 Hazard Categories | | |
| Acute health hazard | No | |
| Chronic Health Hazard | No | |
| Fire hazard | No | |
| Sudden release of pressure hazard | No | |
| Reactive Hazard | No | |

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| NAPHTHALENE 91-20-3 | 100 lb | X | X | X |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|------------------------|--------------------------|----------------|--|
| NAPHTHALENE 91-20-3 | 1 lb | • | RQ 1 lb final RQ RQ 0.454 kg final RQ |

US State Regulations

California Proposition 65

WARNING: This product contains a chemical(s) known to the State of California to cause cancer.

| Chemical Name | California Proposition 65 | |
|-----------------------|---------------------------|--|
| NAPHTHALENE - 91-20-3 | Carcinogen | |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|---------------|------------|---------------|--------------|
| NAPHTHALENE | X | X | X |
| 91-20-3 | | | |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

NFPA Health hazards 2 Flammability 2 Instability 0

HMIS Health hazards 2 Flammability 2 Physical hazards 0 Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date 30-Apr-2015

Revision Note 2

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet