

Safety Data Sheet

Mineral Spirits Odorless

Version 1.2

Revision Date: 03/18/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Mineral Spirits Odorless
Product Use Description : Solvent.

Manufacturer or supplier's details

Company : Nexeo Solutions LLC
Address : 3 Waterway Square Place Suite 1000
 Woodlands, Tx. 77380
 United States of America

Emergency telephone number:

Health North America: 1-855-NEXEO4U (1-855-639-3648)
 Health International: 1-855-NEXEO4U (1-855-639-3648)
 Transport North America: CHEMTREC 800.424.9300

Additional Information: : Responsible Party: Product Safety Group
 E-Mail: msds@nexeosolutions.com
 SDS Requests: 1-855-429-2661
 SDS Requests Fax: 1-281-500-2370
 Website: www.nexeosolutions.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 3
 Skin irritation : Category 2
 Eye irritation : Category 2A
 Specific target organ toxicity - single exposure : Category 3 (Central nervous system)
 Aspiration hazard : Category 1

GHS Label element

Hazard pictograms : 

Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.
 H304 May be fatal if swallowed and enters airways.

Safety Data Sheet

Mineral Spirits Odorless

Version 1.2

Revision Date: 03/18/2015

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Precautionary statements : **Prevention:**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ eye protection/ face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.
P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331 Do NOT induce vomiting.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Safety Data Sheet

Mineral Spirits Odorless

Version 1.2

Revision Date: 03/18/2015

Potential Health Effects

Carcinogenicity:

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Emergency Overview

DANGER	
Appearance	liquid
Colour	clear, colourless
Odour	hydrocarbon-like

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

CAS-No.	Chemical Name	Concentration (%)
64741-65-7	Naphtha (petroleum), heavy alkylate	0 - 100
64742-48-9	Naph (pet), hydrotrtd hvy	0 - 100

Synonyms : Odorless Mineral Spirits/Odorless Paint Thinner,

Special Notes: : Functionally equivalent petroleum streams may be found in this preparation at varying concentrations.

SECTION 4. FIRST AID MEASURES

Safety Data Sheet

Mineral Spirits Odorless

Version 1.2

Revision Date: 03/18/2015

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later. Do not leave the victim unattended.
If inhaled	: Consult a physician after significant exposure. If unconscious place in recovery position and seek medical advice.
In case of skin contact	: If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	: Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	: Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Unburned hydrocarbons
Specific extinguishing methods	: Use a water spray to cool fully closed containers.

Safety Data Sheet

Mineral Spirits Odorless

Version 1.2

Revision Date: 03/18/2015

- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

NFPA Flammable and Combustible Liquids Classification:
Combustible Liquid Class II

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
- Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid formation of aerosol. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work

Safety Data Sheet
Mineral Spirits Odorless

Version 1.2

Revision Date: 03/18/2015

rooms.
Open drum carefully as content may be under pressure.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : No smoking.
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
64741-65-7	Naphtha (petroleum), heavy alkylate	TWA	500 ppm 2,000 mg/m ³	OSHA Z-1
		TWA	400 ppm 1,600 mg/m ³	OSHA P0
64742-48-9	Naph (pet), hydrotrtd hv	TWA	500 ppm 2,000 mg/m ³	OSHA Z-1
		TWA	400 ppm 1,600 mg/m ³	OSHA P0

Personal protective equipment

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.
No personal respiratory protective equipment normally required.

Hand protection
Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : impervious clothing

Safety Data Sheet

Mineral Spirits Odorless

Version 1.2

Revision Date: 03/18/2015

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: clear, colourless
Odour	: hydrocarbon-like
Odour Threshold	: No data available
pH	: not applicable
Freezing Point (Melting point/freezing point)	: No data available
Boiling Point (Boiling point/boiling range)	: 171 - 204 °C (340 - 399 °F)
Flash point	: 51 °C (124 °F)
Evaporation rate	: 0.1 n-Butyl Acetate
Flammability (solid, gas)	: No data available
Burning rate	: No data available
Upper explosion limit	: 7.0 %(V)
Lower explosion limit	: 0.6 %(V)
Vapour pressure	: 0.8 mmHg @ 20 °C (68 °F)
Relative vapour density	: 5.3(Air = 1.0)
Relative density	: 0.758 - 0.770 @ 15.6 - 20 °C (60.1 - 68 °F) Reference substance: (water = 1)
Density	: 0.768 g/cm ³ @ 20 °C (68 °F)

Safety Data Sheet

Mineral Spirits Odorless

Version 1.2

Revision Date: 03/18/2015

Bulk density	: No data available
Solubility(ies)	
Water solubility	: 0.05 g/l negligible
Solubility in other sol-vents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: 260 °C
Thermal decomposition	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No hazards to be specially mentioned.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: strong oxidizing agents
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Components:

64741-65-7:

Acute oral toxicity	: LD50 (rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	: Remarks: No data available

Safety Data Sheet

Mineral Spirits Odorless

Version 1.2

Revision Date: 03/18/2015

Acute dermal toxicity : LD50 (rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

64742-48-9:

Acute oral toxicity : LD50 (rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (rat): > 5610

Assessment: The component/mixture is low toxic after short term inhalation.

Acute dermal toxicity : LD50 (rabbit): > 3,000 mg/kg

Skin corrosion/irritation

Product:

Remarks: Irritating to skin.

Components:

64741-65-7:

Species: rabbit

Result: Irritating to skin.

64742-48-9:

Species: rabbit

Exposure time: 4 h

Method: OECD Test Guideline 404

Result: Irritating to skin.

Serious eye damage/eye irritation

Product:

Remarks: Irritating to eyes.

Components:

64741-65-7:

Species: rabbit

Result: Mild eye irritation

64742-48-9:

Species: rabbit

Result: Irritating to eyes.

Method: OECD Test Guideline 405

Respiratory or skin sensitisation

Components:

Safety Data Sheet

Mineral Spirits Odorless

Version 1.2

Revision Date: 03/18/2015

64741-65-7:

Remarks: No data available

64742-48-9:

Test Type: Buehler Test

Species: guinea pig

Method: OECD Test Guideline 406

Result: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Components:

64741-65-7:

Germ cell mutagenicity- Assessment : Mutagenicity classification not possible from current data

64742-48-9:

Genotoxicity in vitro : Remarks: No data available

Germ cell mutagenicity- Assessment : Mutagenicity classification not possible from current data

Carcinogenicity

Components:

64741-65-7:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

64742-48-9:

Remarks: This information is not available.

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

Reproductive toxicity

Components:

64741-65-7:

Reproductive toxicity - Assessment : Fertility classification not possible from current data. Embryotoxicity classification not possible from current data.

64742-48-9:

Effects on fertility : Test Type: Two-generation study
Species: rat
Application Route: inhalation (vapour)
General Toxicity - Parent: NOAEC: > 20,000 mg/m³
Method: OECD Test Guideline 416

Safety Data Sheet

Mineral Spirits Odorless

Version 1.2

Revision Date: 03/18/2015

Effects on foetal development : Test Type: Embryo-foetal development
 Species: rat
 Application Route: inhalation (vapour)
 Duration of Single Treatment: 20 d
 Frequency of Treatment: 6 hr/day
 Embryo-foetal toxicity.: NOAEL: 23,900 mg/m³
 Method: OECD Test Guideline 414

Reproductive toxicity - Assessment : Fertility classification not possible from current data.
 Embryotoxicity classification not possible from current data.

STOT - single exposure

Product:

Exposure routes:	Target Organs:	Assessment:	Remarks:
Inhalation	Central nervous system	May cause drowsiness or dizziness.	

Components:

64741-65-7:

Exposure routes:	Target Organs:	Assessment:	Remarks:
Inhalation	Central nervous system	May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.	

64742-48-9:

Exposure routes:	Target Organs:	Assessment:	Remarks:
Inhalation	Central nervous system	May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.	

STOT - repeated exposure

Product: No data available

Safety Data Sheet

Mineral Spirits Odorless

Version 1.2

Revision Date: 03/18/2015

Components:

64741-65-7:No data available

64742-48-9:No data available

Aspiration toxicity

Product:

May be fatal if swallowed and enters airways.

Components:

64741-65-7:

May be fatal if swallowed and enters airways.

64742-48-9:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

64741-65-7:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae : Remarks: No data available

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Safety Data Sheet

Mineral Spirits Odorless

Version 1.2

Revision Date: 03/18/2015

64742-48-9:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 10 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 4.5 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae : EL50 (Pseudokirchneriella subcapitata (Selenastrum capricornutum)): 3.1 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

Ecotoxicology Assessment
Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Persistence and degradability

Bioaccumulative potential

Components:

64741-65-7:

Partition coefficient: n-octanol/water : log Pow: 3.3 - 5.3

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life with long lasting effects.

Safety Data Sheet

Mineral Spirits Odorless

Version 1.2

Revision Date: 03/18/2015

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact NEXEO's Environmental Services Group at 800-637-7922.
- Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

IATA (International Air Transport Association): UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III, Flash Point: 51 °C (124 °F)

IMDG (International Maritime Dangerous Goods): UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III

DOT (Department of Transportation): UN1268, PETROLEUM DISTILLATES, N.O.S., CBL, III

- Special Notes:** : The flash point for this material is greater than 100 F (38 C). Therefore, in accordance with 49 CFR 173.150(f) non-bulk containers (<450L or <119 gallon capacity) of this material may be shipped as non-regulated when transported solely by land, as long as the material is not a hazardous waste, a marine pollutant, or specifically listed as a hazardous substance.

SECTION 15. REGULATORY INFORMATION

- OSHA Hazards** : Combustible Liquid, Moderate skin irritant, Aspiration hazard, Moderate eye irritant
- WHMIS Classification** : B3: Combustible Liquid
D2A: Very Toxic Material Causing Other Toxic Effects
D2B: Toxic Material Causing Other Toxic Effects

Safety Data Sheet

Mineral Spirits Odorless

Version 1.2

Revision Date: 03/18/2015

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

: Fire Hazard
Acute Health Hazard
Chronic Health Hazard

SARA 302

: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313

: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCOMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. Clean-Water Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

64741-65-7	Naphtha (petroleum), heavy alkylate	0 - 100 %
64742-48-9	Naph (pet), hydrotrtd hvy	0 - 100 %

New Jersey Right To Know

64741-65-7	Naphtha (petroleum), heavy alkylate	0 - 100 %
64742-48-9	Naph (pet), hydrotrtd hvy	0 - 100 %

Safety Data Sheet

Mineral Spirits Odorless

Version 1.2

Revision Date: 03/18/2015

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

Switzerland. New notified substances and declared preparations	:	y (positive listing) (The formulation contains substances listed on the Swiss Inventory)
United States TSCA Inventory	:	y (positive listing) (On TSCA Inventory)
Canadian Domestic Substances List (DSL)	:	y (positive listing) (All components of this product are on the Canadian DSL.)
Australia Inventory of Chemical Substances (AICS)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
Japan. ENCS - Existing and New Chemical Substances Inventory	:	n (Negative listing) (Not in compliance with the inventory)
Japan. ISHL - Inventory of Chemical Substances (METI)	:	n (Negative listing) (Not in compliance with the inventory)
Korea. Korean Existing Chemicals Inventory (KECI)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
China. Inventory of Existing Chemical Substances in China (IECSC)	:	y (positive listing) (On the inventory, or in compliance with the inventory)

Safety Data Sheet
Mineral Spirits Odorless


Version 1.2

Revision Date: 03/18/2015

SECTION 16. OTHER INFORMATION

Further information

NFPA:



HMIS III:

HEALTH	1*
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,
2 = Moderate, 3 = High
4 =Extreme, * = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by NEXEO™ Solutions EHS Product Safety Department (1-855-429-2661) MSDS@nexeosolutions.com.

Legacy MSDS: R0000594

Material number:

20097, 86531, 16061589, 16065737, 16056559, 16056561, 16056560, 16061791, 547042, 635873, 783249, 501966, 20095, 691875, 86039, 554063, 775827, 16026811, 16009323, 70181, 53278, 87264, 20101, 16007246, 86619, 86036, 784578, 153243, 54503, 592411, 16036243, 576376, 508208, 102992, 69665, 20096, 623658, 16036544, 86610, 506279, 16030187, 594059, 554318, 554250, 554249, 554202, 554127, 554092, 554083, 504043, 16010280, 20094, 69661, 70153, 86042, 508612, 102943, 102915, 103650, 70235, 53849, 102910, 54506, 508209

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Sub-	NFPA	National Fire Protection Agency

Safety Data Sheet

Mineral Spirits Odorless

Version 1.2

Revision Date: 03/18/2015

	stances List		
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50			Lethal Concentration 50%