

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 01/16/2014

Supersedes: 06/01/2006

Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : CWT- 560 COOLING TOWER TREATMENT
Product form : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Water treatment.

1.3. Details of the supplier of the safety data sheet

Kriss Premium Products, Inc.
3400 East 42nd Street
Minneapolis, MN 55406

1.4. Emergency telephone number

Emergency number : INFORMATION: 612-722-8485
CHEMTREC: (800) 424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Skin Irrit. 2 H315
Eye Irrit. 2A H319
Skin Sens. 1 H317

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US) :



GHS07

Signal word (GHS-US) : **Warning**

Hazard statements (GHS-US) : H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
P261 - Avoid breathing MISTS OR VAPORS
P264 - Wash thoroughly after handling
P280 - Wear eye protection, protective clothing, protective gloves
P302+P352 - IF ON SKIN: Wash with plenty of soap and water
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention
P362+P364 - Take off contaminated clothing and wash it before reuse
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention
P308+P313 - IF exposed or concerned: Get medical advice/attention
P321 - Specific treatment (see this label)
P501 - Dispose of contents/container to a licensed waste handling facility.

Precautionary statements (GHS-US) :

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%
Proprietary caustic	(CAS No) Trade Secret	1 - 5

CWT- 560 COOLING TOWER TREATMENT

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%
Proprietary mercapto compound	(CAS No) Trade Secret	1 - 5
Proprietary acid	(CAS No) Trade Secret	0.1 - 1

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.
- First-aid measures after skin contact : IF ON SKIN: Immediately rinse with plenty of water (for at least 15 minutes). Get medical advice/attention.
- First-aid measures after eye contact : IF IN EYES: Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Get medical advice/attention.
- First-aid measures after ingestion : IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : May cause an allergic skin reaction. Causes skin irritation. Causes serious eye irritation.
- Symptoms/injuries after inhalation : May cause headache, nausea and irritation of respiratory tract.
- Symptoms/injuries after skin contact : Causes skin irritation. This product contains small amounts of an ingredient which has been reported to cause skin sensitization reactions in humans.
- Symptoms/injuries after eye contact : Causes serious eye irritation.
- Symptoms/injuries after ingestion : May cause a light irritation of the linings of the mouth, throat, and gastrointestinal tract.
- Chronic symptoms : No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

suitable extinguishing media : Alcohol-resistant foam. Carbon dioxide. Dry powder. Water spray.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : The product is not flammable.
- Explosion hazard : Product is not explosive.
- Reactivity : No dangerous reactions known under normal conditions of use.

5.3. Advice for firefighters

- Firefighting instructions : Do not dispose of fire-fighting water in the environment. Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate area. Keep upwind. Ventilate area. Spill should be handled by trained clean-up crews properly equipped with respiratory equipment and full chemical protective gear (see Section 8).

6.1.1. For non-emergency personnel

- Protective equipment : Wear Protective equipment as described in Section 8.
- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Approved supplied-air respirator, in case of emergency. Wear suitable protective clothing, gloves and eye or face protection.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- For containment : Prevent entry to sewers and public waters. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
- Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).

6.4. Reference to other sections

No additional information available

CWT- 560 COOLING TOWER TREATMENT

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Keep away from sources of ignition - No smoking. Do not breathe mists. Provide good ventilation in process area to prevent formation of vapor. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : heat sources. Keep container tightly closed.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Proprietary caustic (Trade Secret)	
ACGIH Ceiling (mg/m ³)	2 mg/m ³
OSHA PEL (TWA) (mg/m ³)	2 mg/m ³
OSHA PEL (Ceiling) (mg/m ³)	2 mg/m ³

Proprietary acid (Trade Secret)	
Remark (ACGIH)	OELs not established
Remark (US OSHA)	OELs not established

Proprietary mercapto compound (Trade Secret)	
Remark (ACGIH)	OELs not established
Remark (US OSHA)	OELs not established

8.2. Exposure controls

Personal protective equipment : Face shield. Gloves. Protective clothing. Protective goggles. Respiratory protection of the dependent type.



Hand protection : Protective gloves made of rubber.

Eye protection : Eye protection, including both chemical splash goggles and face shield, must be worn when possibility exists for eye contact due to spraying liquid or airborne particles.

Skin and body protection : Wear long sleeves. Wear suitable protective clothing.

Respiratory protection : In case of inadequate ventilation wear respiratory protection. If handling results in dust, mist, or aerosols, special ventilation may be required to avoid exceeding exposure limits for nuisance or oil mist particles.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Color : Clear to tan.
Odor : slight.
Odor Threshold : No data available
pH : 11 (1% Solution)
Relative evaporation rate (butyl acetate=1) : No data available
Melting point : No data available
Freezing point : No data available
Boiling point : 100 °C
Flash point : No data available
Self ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapor pressure : 18 mm Hg

CWT- 560 COOLING TOWER TREATMENT

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative vapor density at 20 °C	: No data available
Relative density	: 1.08
Solubility	: Complete solubility in water.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Proprietary caustic (Trade Secret)	
LD50 dermal rabbit	1350 mg/kg
ATE (dermal)	1350.000 mg/kg

Proprietary acid (Trade Secret)	
LD50 oral rat	708 mg/kg (Source: IUCLID)
LD50 dermal rabbit	1560 mg/kg (Source: NLM_CIP)
LC50 inhalation rat (mg/l)	> 720 mg/m ³ 1 h; (Source: NLM_CIP)

Proprietary mercapto compound (Trade Secret)	
LD50 oral rat	750 mg/kg (Source: IUCLID)
LD50 dermal rabbit	> 1250 mg/kg (Source: IUCLID)
ATE (oral)	750.000 mg/kg body weight

Skin corrosion/irritation	: Causes skin irritation. pH: 11 (1% Solution)
Serious eye damage/irritation	: Causes serious eye irritation. pH: 11 (1% Solution)
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified

CWT- 560 COOLING TOWER TREATMENT

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause headache, nausea and irritation of respiratory tract.
Symptoms/injuries after skin contact	: Causes skin irritation. This product contains small amounts of an ingredient which has been reported to cause skin sensitization reactions in humans.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: May cause a light irritation of the linings of the mouth, throat, and gastrointestinal tract.
Chronic symptoms	: No data available.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : No information available.

12.2. Persistence and degradability

CWT- 560 COOLING TOWER TREATMENT

Persistence and degradability	No data available.
-------------------------------	--------------------

12.3. Bioaccumulative potential

CWT- 560 COOLING TOWER TREATMENT

Bioaccumulative potential	No information available.
---------------------------	---------------------------

12.4. Mobility in soil

CWT- 560 COOLING TOWER TREATMENT

Ecology - soil	No information available.
----------------	---------------------------

12.5. Other adverse effects

Other adverse effects : No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Do not discharge to public wastewater systems without permit of pollution control authorities. No discharge to surface waters is allowed without an NPDES permit.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Do not allow the product to be released into the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Additional information

Other information : No supplementary information available.

Overland transport

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

CWT- 560 COOLING TOWER TREATMENT

All chemical substances in this product are listed in the EPA (Environmental Protection Agency) TSCA (Toxic Substances Control Act) Inventory

SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
-------------------------------------	---------------------------------

Proprietary caustic (Trade Secret)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on SARA Section 313 (Specific toxic chemical listings)

CWT- 560 COOLING TOWER TREATMENT

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proprietary caustic (Trade Secret)	
RQ (Reportable quantity, section 304 of EPA's List of Lists) :	1000 lb

Proprietary acid (Trade Secret)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on SARA Section 313 (Specific toxic chemical listings)	
RQ (Reportable quantity, section 304 of EPA's List of Lists) :	5000 lb Final

Proprietary mercapto compound (Trade Secret)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

15.2. International regulations

CANADA

Proprietary caustic (Trade Secret)	
Listed on the Canadian DSL (Domestic Substances List) inventory.	

Proprietary acid (Trade Secret)	
Listed on the Canadian DSL (Domestic Substances List) inventory.	

Proprietary mercapto compound (Trade Secret)	
Listed on the Canadian DSL (Domestic Substances List) inventory.	

EU-Regulations

No additional information available

15.2.2. National regulations

Proprietary caustic (Trade Secret)	
Listed on the AICS (the Australian Inventory of Chemical Substances) Listed on Inventory of Existing Chemical Substances (IECSC) Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory. Listed on the Korean ECL (Existing Chemical List) inventory.	

Proprietary acid (Trade Secret)	
Listed on the AICS (the Australian Inventory of Chemical Substances) Listed on Inventory of Existing Chemical Substances (IECSC) Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory. Listed on KECL (Chemical Inventory of Korea)	

Proprietary mercapto compound (Trade Secret)	
Listed on the AICS (the Australian Inventory of Chemical Substances) Listed on Inventory of Existing Chemical Substances (IECSC) Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory. Listed on KECL (Chemical Inventory of Korea)	

15.3. US State regulations

Proprietary caustic (Trade Secret)	
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Massachusetts - Right To Know List U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List	

Proprietary acid (Trade Secret)	
U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List	

SECTION 16: Other information

Indication of changes : Revision 1.0 – 20 Jan 2014 - New SDS Created.


CWT- 560 COOLING TOWER TREATMENT

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information : Author: AM.

NFPA health hazard : 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.
NFPA fire hazard : 0 - Materials that will not burn.
NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



HMIS III Rating

Health : 1
Flammability : 0
Physical : 0
Personal Protection : Wear suitable protective clothing, gloves and eye/face protection.

We believe that the information contained on this Material Safety Data Sheet is accurate. The suggested procedures are based on experience as of the date of publication. They are not necessarily adequate in every circumstance. These suggestions should not be confused with or followed in violation of applicable laws, regulations, rules or insurance requirements. The seller makes no warranty expressed or implied concerning the accuracy or any results obtained from the use of any information and no warranty expressed or implied concerning the use of the products. The buyer assumes all risks of the use and/or handling.