

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: DFS200P DFO Pump Spray
Product code	: DFS200P
1.2. Relevant identified uses of the subst	ance or mixture and uses advised against
Use of the substance/mixture	: Latent fingerprint developer
1.3. Details of the supplier of the safety d	ata sheet
SIRCHIE 100 Hunter Place Youngsville, NC 27596 - USA T 919-554-2244; 800-356-7311 - F 919-554-2266 http://www.sirchie.com	; 800-899-8181
1.4. Emergency telephone number	
Emergency number	: 1.800.424.9300 CHEMTREC: 1.800.424.9300
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mi	xture
GHS-US classification	
Flammable liquids Category 2	H225
Acute toxicity (oral) Category 3	H301
Acute toxicity (dermal) Category 3	H311
Acute toxicity (inhalation:dust,mist) Category 4	H332
Skin corrosion/irritation Category 1A	H314
Specific target organ toxicity (single exposure) Category 1	H370
Specific target organ toxicity (single exposure) Category 3	H336

Full text of H statements : see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)	
Signal word (GHS-US)	GHS02 GHS05 GHS06 GHS07 GHS08 : Danger
Hazard statements (GHS-US)	: H225 - Highly flammable liquid and vapor H301+H311 - Toxic if swallowed or in contact with skin H314 - Causes severe skin burns and eye damage H332 - Harmful if inhaled H336 - May cause drowsiness or dizziness H370 - Causes damage to organs (brain, eyes, kidneys, liver) (Dermal, oral, Inhalation)
Precautionary statements (GHS-US)	 P210 - Keep away from heat, hot surfaces, open flames, sparks No smoking P233 - Keep container tightly closed P261 - Avoid breathing fume, mist, spray, vapors P264 - Wash all exposed skin thoroughly after handling P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area P280 - Wear eye protection, protective gloves P301+P310 - If swallowed: Immediately call a POISON CENTER P302+P352 - If on skin: Wash with plenty of water P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact
lenses, if present and easy to do. Continue rinsing
P307+P311 - If exposed: Call a poison center/doctor
P321 - Specific treatment (see contact Poison Control Center/physician on this label)
P330 - Rinse mouth
P361 - Take off immediately all contaminated clothing
P363 - Wash contaminated clothing before reuse
P370+P378 - In case of fire: Use CO2, dry chemical, foam, water spray to extinguish
P403+P233 - Store in a well-ventilated place. Keep container tightly closed
P403+P235 - Store in a well-ventilated place. Keep cool
P405 - Store locked up
P501 - Dispose of contents/container to local/regional/national/international
· · ·

2.3. Other hazards
Other hazards not contributing to the

: None under normal conditions.

classification

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	GHS-US classification
ethyl acetate	(CAS No) 141-78-6	45	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
methanol	(CAS No) 67-56-1	45	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT SE 1, H370
acetic acid	(CAS No) 64-19-7	9	Flam. Liq. 3, H226 Skin Corr. 1A, H314
1,8-Diazafluorene-9-one	(CAS No) 54078-29-4	< 1	Not classified

Full text of H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow victim to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
	attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media	: Do not use a heavy water stream.
--------------------------------	------------------------------------

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monda	ay, March 26, 2012 / Rules and Regulations
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release me	asures
6.1. Personal precautions, protective	equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
	tify authorities if liquid enters sewers or public waters.
6.3. Methods and material for contain	ment and cleaning up
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	
See Heading 8. Exposure controls and person	al protection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.
7.2. Conditions for safe storage, inclu	ding any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
SECTION 8: Exposure controls/per	rsonal protection
8.1. Control parameters	
ethyl acetate (141-78-6)	
Not applicable	
1,8-Diazafluorene-9-one (54078-29-4)	
Not applicable	
8.2. Exposure controls	
Personal protective equipment	: Avoid all unnecessary exposure. Gas mask. Gloves. Safety glasses.
Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Respiratory protection	: Wear appropriate mask.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties Physical state : Liquid 10/07/2016 EN (English US)

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Appearance	: Clear, colorless, volatile liquid.
Color	: Colorless
Odor	: characteristic
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Solubility	 Poorly soluble in water. Water: Solubility in water of component(s) of the mixture : • acetic acid: Complete • ethyl acetate: 8 g/100ml (25 °C) • methanol: >= 100 g/100ml (20 °C)
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

Other information 9.2.

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
No data available.
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
Not established.
10.4. Conditions to avoid
Direct sunlight. Extremely high or low temperatures.
10.5. Incompatible materials
Strong acids. Strong bases.
10.6. Hazardous decomposition products
fume. Carbon monoxide. Carbon dioxide.
SECTION 11: Toxicological information
11.1. Information on toxicological effects

Acute toxicity	: Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. Inhalation:dust,mist: Harmful if inhaled.
DFS200P DFO Pump Spray	
ATE US (oral)	222.222 mg/kg body weight
ATE US (dermal)	666.667 mg/kg body weight
ATE US (dust, mist)	1.111 mg/l/4h

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

acetic acid (64-19-7)	
LD50 oral rat	3310 mg/kg body weight (Rat; Other; Read-across)
ATE US (oral)	3310.000 mg/kg body weight
ethyl acetate (141-78-6)	
LD50 oral rat	5620 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value; 10200 mg/kg bodyweight; Rat)
LD50 dermal rabbit	> 18000 mg/kg (Rabbit; Experimental value; 24 hour cuff method; >20000 mg/kg bodyweight; Rabbit)
LC50 inhalation rat (mg/l)	70.56 mg/l/4h (Rat)
LC50 inhalation rat (ppm)	19600 ppm/4h (Rat)
ATE US (oral)	5620.000 mg/kg body weight
ATE US (gases)	19600.000 ppmV/4h
ATE US (vapors)	70.560 mg/l/4h
ATE US (dust, mist)	70.560 mg/l/4h
methanol (67-56-1)	
LD50 oral rat	> 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence)
LD50 dermal rabbit	15800 mg/kg (Rabbit; Literature study)
LC50 inhalation rat (mg/l)	85 mg/l/4h (Rat; Literature study)
LC50 inhalation rat (ppm)	64000 ppm/4h (Rat; Literature study)
ATE US (oral)	100.000 mg/kg body weight
ATE US (dermal)	300.000 mg/kg body weight
ATE US (gases)	700.000 ppmV/4h
ATE US (vapors)	3.000 mg/l/4h
ATE US (dust, mist)	0.500 mg/l/4h
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
	Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Causes damage to organs (brain, eyes, kidneys, liver) (Dermal, oral, Inhalation). May cause drowsiness or dizziness.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

ethyl acetate (141-78-6)	
LC50 fish 2	230 mg/l (LC50; US EPA; 96 h; Pimephales promelas; Flow-through system; Fresh water; Experimental value)
EC50 Daphnia 2	154 mg/l (EC50; 48 h; Daphnia magna)
methanol (67-56-1)	
LC50 fish 1	15400 mg/l (LC50; EPA 660/3 - 75/009; 96 h; Lepomis macrochirus; Flow-through system; Fresh water; Experimental value)
EC50 Daphnia 1	> 10000 mg/l (EC50; DIN 38412-11; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

methanol (67-56-1)			
LC50 fish 2 10800 mg/l (LC50; 96 h; Salmo gairdneri)			
12.2. Persistence and degradability			
DFS200P DFO Pump Spray			
Persistence and degradability	Not established.		
acetic acid (64-19-7)			
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.		
Biochemical oxygen demand (BOD)	0.6 - 0.74 g O ₂ /g substance		
Chemical oxygen demand (COD)	1.03 g O₂/g substance		
ThOD	1.07 g O₂/g substance		
ethyl acetate (141-78-6)			
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Low potential for adsorption in soil.		
Biochemical oxygen demand (BOD)	0.293 g O₂/g substance		
Chemical oxygen demand (COD)	1.69 g O₂/g substance		
ThOD	1.82 g O₂/g substance		
methanol (67-56-1)			
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.		
Biochemical oxygen demand (BOD)	0.6 - 1.12 g O ₂ /g substance		
Chemical oxygen demand (COD)	1.42 g O₂/g substance		
ThOD	1.5 g O₂/g substance		
BOD (% of ThOD)	0.8 (Literature study)		

Bioaccumulative potential 12.3.

DFS200P DFO Pump Spray			
Bioaccumulative potential	Not established.		
acetic acid (64-19-7)			
BCF fish 1	3.16 (BCF; Pisces)		
Log Pow	-0.17 (Experimental value; 25 °C)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		
ethyl acetate (141-78-6)			
BCF fish 1	30 (BCF; 3 days; Leuciscus idus; Static system)		
Log Pow	0.68 (Experimental value; EPA OPPTS 830.7560; 25 °C)		
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).		
methanol (67-56-1)			
BCF fish 1	< 10 (BCF; 72 h; Leuciscus idus)		
Log Pow	-0.77 (Experimental value; Other)		
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).		

12.4. Mobility in soil

acetic acid (64-19-7)			
Surface tension	0.028 N/m (20 °C)		
Log Koc	log Koc,0.06; QSAR		
Ecology - soil	gy - soil May be harmful to plant growth, blooming and fruit formation.		
ethyl acetate (141-78-6)			
Surface tension	0.024 N/m (20 °C)		
methanol (67-56-1)			
Surface tension	0.023 N/m (20 °C)		
Log Koc	Koc,PCKOCWIN v1.66; 1; Calculated value		

12.5. Other adverse effects

Effect on the global warming	: No known ecological damage caused by this product.
Other information	: Avoid release to the environment.
SECTION 13: Disposal conside	ations
13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport informa	tion
Department of Transportation (DOT)	
In accordance with DOT	
Transport document description	: UN1993 Flammable liquid, NOS Methanol/Ethyl acetate solution (FLAMMABLE LIQUID), 3, II
UN-No.(DOT)	: UN1993
Proper Shipping Name (DOT)	: Flammable liquid, NOS Methanol/Ethyl acetate solution
	FLAMMABLE LIQUID
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT)	: 3 - Flammable liquid
	3
Packing group (DOT)	: II - Medium Danger
Other information	: No supplementary information available.
TDG	
No additional information available	

Transport by sea No additional information available

Air transport	
UN-No. (IATA)	: 1993
Proper Shipping Name (IATA)	: FLAMMABLE LIQUID, N.O.S. (METHANOL / ETHYL ACETATE SOLUTION)
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: II - Medium Danger

SECTION 15: Regulatory information			
15.1. US Federal regulations			
DFS200P DFO Pump Spray			
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313			

15.2. International regulations			
CANADA			
DFS200P DFO Pump Spray			
WHMIS Classification Class B Division 2 - Flammable Liquid			

EU-Regulations No additional information available

National regulations No additional information available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations		
DFS200P DFO Pump Spray		
U.S California - Proposition 65 - Carcinogens List	No	
U.S California - Proposition 65 - Developmental Toxicity	Yes	
U.S California - Proposition 65 - Reproductive Toxicity - Female	No	
U.S California - Proposition 65 - Reproductive Toxicity - Male	No	

SECTION 16: Other information				
Data so	burces	:	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.	
Training	raining advice : Normal use of this product shall imply use in accordance with the instructions on the pack		ct shall imply use in accordance with the instructions on the packaging.	
Other ir	formation	: None.		
Full tex	t of H-phrases:			
	H225			Highly flammable liquid and vapor

	H225		Highly flammable liquid and vapor
	H226		Flammable liquid and vapor
	H301		Toxic if swallowed
	H311		Toxic in contact with skin
	H314		Causes severe skin burns and eye damage
	H319		Causes serious eye irritation
	H331		Toxic if inhaled
	H332		Harmful if inhaled
	H336		May cause drowsiness or dizziness
	H370		Causes damage to organs
NFPA h	FPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.		residual injury unless prompt
		and temperature, or is rea	ely vaporize at normal pressure Idily dispersed in air and will burn
temperatures and pressur			an become unstable at elevated res or may react with water with but not violently.
HMIS II	I Rating		
Health : 2 Moderate Hazard - Temporary or minor injury may occur		nporary or minor injury may occur	
Flamma	ammability : 4 Severe Hazard - Flammable gases, or very volatile flammable liquids with flash points 73 F, and boiling points below 100 F. Materials may ignite spontaneously with air. (Clas		
Physica	ıl	: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at temperatures and pressures. Materials may react non-violently with water or under hazardous polymerization in the absence of inhibitors.	
Persona	Personal Protection : G		
G - Safety glasses, Glove		G - Safety glasses, Glove	es, Vapor respirator

SDS US (GHS HazCom 2012)

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.