

GHS

Printing date: September 10, 2014

Revision: September 10, 2014

SECTION 1: Identification of the substance/mixture and of the company/ undertaking				
· 1.1 Product identifier				
· Trade name: <u>Stinger® 32-Caliber Rubber Balls</u>				
<ul> <li>Article number: 1090</li> <li>1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.</li> </ul>				
· Application of the substance / the mixture Explosive product.				
<ul> <li>1.3 Details of the supplier of the Safety Data Sheet</li> <li>Manufacturer/Supplier: Safariland, LLC</li> <li>13386 International Parkway</li> <li>Jacksonville, FL 32218</li> <li>Customer Care (800) 347-1200</li> <li>Further information obtainable from: Customer Care Department</li> </ul>				
• <b>1.4 Emergency telephone number:</b> ChemTel Inc. (800)255-3924, +1 (813)248-0585				
SECTION 2: Hazards identification				
<ul> <li>• 2.1 Classification of the substance or mixture</li> <li>• Classification according to Regulation (EC) No 1272/2008         The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H411.     </li> <li>• exploding bomb</li> </ul>				
Evel 4.4				
Expl. 1.4 H204 Fire or projection hazard.				
environment				
Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.				
Classification according to Directive 67/548/EEC or Directive 1999/45/EC     N; Dangerous for the environment				
N to				
<ul> <li>N; Dangerous for the environment</li> <li>R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</li> <li>R5-44: Heating may cause an explosion. Risk of explosion if heated under confinement.</li> <li>Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.</li> </ul>				
<ul> <li>N; Dangerous for the environment</li> <li>R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</li> <li>R5-44: Heating may cause an explosion. Risk of explosion if heated under confinement.</li> <li>Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.</li> <li>Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and</li> </ul>				
<ul> <li>N; Dangerous for the environment</li> <li>R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</li> <li>R5-44: Heating may cause an explosion. Risk of explosion if heated under confinement.</li> <li>Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.</li> <li>Classification system:</li> </ul>				

Printing date: September 10, 2014

Revision: September 10, 2014

#### Trade name: Stinger® 32-Caliber Rubber Balls

(Contd. of page 1)

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

#### · 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms

• This pictogram only applicable for EU regulations. Not for use in the United States (OSHA GHS).



GHS01 GHS09

- · Signal word Warning
- · Hazard statements

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H411.

H204 Fire or projection hazard.

H411 Toxic to aquatic life with long lasting effects.

#### Precautionary statements

The following Precautionary Statements are applicable only to the general GHS regulations and not the specific CLP regulation: P374.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P250 Do not subject to grinding/shock/friction.

P373 DO NOT fight fire when fire reaches explosives.

P374 Fight fire with normal precautions from a reasonable distance.

P372 Explosion risk in case of fire.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Additional information:

Can become highly flammable in use.

- · Hazard description:
- · WHMIS-symbols:
- F Dangerously reactive material



· NFPA ratings (scale 0 - 4)

(Contd. on page 3)

(Contd. on page 4)

### Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 10, 2014

Revision: September 10, 2014

#### Trade name: Stinger® 32-Caliber Rubber Balls

	(Contd. of p	Jaye
HMIS-ratings (scale 0 - 4)		
HEALTH O Health = 0		
FIRE $\Box$ Fire = 0		
Reactivity = 3		
Warning: Contains lead salt(	(s). Long-term health hazard.	
HMIS Long Term Health Ha	azard Substances	
7778-74-7 potassium perch	lorate	
2.3 Other hazards		
Results of PBT and vPvB a	assessment	
PBT: Not applicable.		
vPvB: Not applicable.		
Explosive Product Notice		
	NTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the	
	careful planning and observance of the best known practices. The expl e is dealing with a powerful force and that various devices and methods	
	m in directing this force. He should realize that this force, if misdirected	
either kill or injure both him a		, III
	are dangerous and must be carefully handled and used following app or under the direction of competent, experienced persons in accordance	
	and local laws, regulations, or ordinances. If you have any questions or o	
	sive product, DO NOT USE IT before consulting with your supervisor,	
	have a supervisor. If your supervisor has any questions or doubts, he s	
consult the manufacturer bel	fore use.	
		51100
<b>SECTION 3: Composit</b>	tion/information on ingredients	
•		
3.2 Mixtures		
3.2 Mixtures Description: Mixture of subs	stances listed below with nonhazardous additions.	
3.2 Mixtures Description: Mixture of subs Dangerous components:		_
3.2 Mixtures Description: Mixture of subs Dangerous components: CAS: 7778-74-7	potassium perchlorate 20-	_
3.2 Mixtures Description: Mixture of subs Dangerous components: CAS: 7778-74-7 EINECS: 231-912-9	potassium perchlorate 20-	
3.2 Mixtures Description: Mixture of subs Dangerous components: CAS: 7778-74-7	potassium perchlorate 20- Xn R22; O R9 O X. Sol. 1, H271	_
3.2 Mixtures Description: Mixture of subs Dangerous components: CAS: 7778-74-7 EINECS: 231-912-9 Index number: 017-008-00-5	potassium perchlorate 20- Xn R22; O R9 Ox. Sol. 1, H271 Acute Tox. 4, H302	-40%
3.2 Mixtures Description: Mixture of subs Dangerous components: CAS: 7778-74-7 EINECS: 231-912-9 Index number: 017-008-00-5 CAS: 7429-90-5	potassium perchlorate 20- Xn R22; O R9 OX. Sol. 1, H271 Acute Tox. 4, H302 aluminium powder (pyrophoric) 20-	-40%
3.2 Mixtures Description: Mixture of subs Dangerous components: CAS: 7778-74-7 EINECS: 231-912-9 Index number: 017-008-00-5	potassium perchlorate20-Xn R22;O R9OX. Sol. 1, H271Acute Tox. 4, H302aluminium powder (pyrophoric)F R15-17	40%
3.2 Mixtures Description: Mixture of subs Dangerous components: CAS: 7778-74-7 EINECS: 231-912-9 Index number: 017-008-00-5 CAS: 7429-90-5 EINECS: 231-072-3	potassium perchlorate20-Xn R22;O R9Ox. Sol. 1, H271Acute Tox. 4, H302aluminium powder (pyrophoric)20-F R15-17Pyr. Sol. 1, H250; Water-react. 2, H261magnesium powder (pyrophoric)20-	-40%
• 3.2 Mixtures • Description: Mixture of subs • Dangerous components: CAS: 7778-74-7 EINECS: 231-912-9 Index number: 017-008-00-5 CAS: 7429-90-5 EINECS: 231-072-3 Index number: 013-001-00-6	potassium perchlorate20-Xn R22;O R9Ox. Sol. 1, H271Acute Tox. 4, H302aluminium powder (pyrophoric)20-F R15-17Pyr. Sol. 1, H250; Water-react. 2, H261	-40%

Index number: 012-001-00-3 🐼 Pyr. Sol. 1, H250; Water-react. 1, H260

Printing date: September 10, 2014

Revision: September 10, 2014

#### Trade name: Stinger® 32-Caliber Rubber Balls

		(Contd. of page 3)
CAS: 7757-79-1 EINECS: 231-818-8	potassium nitrate O R8	5-10%
LINECO. 231-010-0	© Ox. Sol. 2, H272	
CAS: 7440-50-8 EINECS: 231-159-6	copper substance with a Community workplace exposure limit	1-5%
CAS: 7440-66-6	zinc metal N R50/53 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	1-5%
CAS: 9004-34-6 EINECS: 232-674-9	Cellulose substance with a Community workplace exposure limit	1-5%
CAS: 7704-34-9 EINECS: 231-722-6 Index number: 016-094-00-1	sulfur Xi R38 Skin Irrit. 2, H315	0,5-2%
CAS: 3811-04-9 EINECS: 223-289-7 Index number: 017-004-00-3	potassium chlorate Xn R20/22; O R9; N R51/53 O X. Sol. 1, H271 Aquatic Chronic 2, H411 Acute Tox. 4, H302; Acute Tox. 4, H332	< 1,0%
CAS: 592-87-0 EINECS: 209-774-6 Index number: 082-001-00-6		< 1,0%
	<ul> <li>Repr. 1A, H360Df; STOT RE 2, H373</li> <li>Aquatic Acute 1, H400; Aquatic Chronic 1, H410</li> <li>Acute Tox. 4, H302; Acute Tox. 4, H332</li> </ul>	
CAS: 10294-40-3 EINECS: 233-660-5 Index number: 056-002-00-7	barium chromate Xn R20/22 Acute Tox. 4, H302; Acute Tox. 4, H332	< 1,0%
· Additional information: For	the wording of the listed risk phrases refer to section 16.	
Notable Trace Components	s (≤ 0,1% w/w)	
CAS: 7758-97-6 EINECS: 231-846-0 Index number: 082-004-00-2		50/53
	Carc. 1B, H350; Repr. 1A, H360Df; STOT RE 2, H373 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Unlikely route of exposure.
- Brush off loose particles from skin.
- If skin irritation is experienced, consult a doctor.

(Contd. on page 5)

Printing date: September 10, 2014

Revision: September 10, 2014

#### Trade name: Stinger® 32-Caliber Rubber Balls

(Contd. of page 4)

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: Do not induce vomiting; call for medical help immediately.

- · 4.2 Most important symptoms and effects, both acute and delayed Blast injury if mishandled.
- Hazards Danger of blast or crush-type injuries.
- · 4.3 Indication of any immediate medical attention and special treatment needed

Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects.

### **SECTION 5: Firefighting measures**

#### · 5.1 Extinguishing media

· Suitable extinguishing agents:

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

- · For safety reasons unsuitable extinguishing agents: None.
- $\cdot$  5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.

· 5.3 Advice for firefighters

#### · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

- · Additional information
- Cool endangered receptacles with water spray.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Eliminate all ignition sources if safe to do so.

Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

### **SECTION 6: Accidental release measures**

#### · 6.1 Personal precautions, protective equipment and emergency procedures

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Spills of this material should be handled carefully. Do not subject materials to mechanical shock or extreme heat. A spill of this material will normally not require emergency response team capabilities.

Wear protective equipment. Keep unprotected persons away.

Remove persons from danger area.

Ensure adequate ventilation

Protect from heat.

Isolate area and prevent access.

· 6.2 Environmental precautions: No special measures required.

(Contd. on page 6)

(Contd. of page 5)

### Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 10, 2014

Revision: September 10, 2014

#### Trade name: Stinger® 32-Caliber Rubber Balls

 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
 Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling Handle with care. Avoid jolting, friction and impact.
- Information about fire and explosion protection: Protect from heat. Emergency cooling must be available in case of nearby fire.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:
   Avoid storage near extreme heat, ignition sources or open flame.
   Information about storage in one common storage facility:
- Store away from foodstuffs.
- Store away from flammable substances.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

<ul> <li>Ingredients with limit values that require monitoring at the workplace:</li> </ul>		
7429-90-5 aluminium powder (pyrophoric)		
PEL (USA)	Long-term value: 15*; 15** mg/m <sup>3</sup> *Total dust; ** Respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m³ as Al*Total dust**Respirable/pyro powd./welding f.	
TLV (USA)	Long-term value: 1* mg/m <sup>3</sup> as Al; *as respirable fraction	
EL (Canada)	Long-term value: 1,0 mg/m <sup>3</sup> respirable, as Al	
EV (Canada)	Long-term value: 5 mg/m³ aluminium-containing (as aluminium)	
		(Contd. on page 7)

Printing date: September 10, 2014

Revision: September 10, 2014

### Trade name: Stinger® 32-Caliber Rubber Balls

7440-50-8 co	oper	· · · ·
PEL (USA)	Long-term value: 1* 0,1** mg/m <sup>3</sup> as Cu *dusts and mists **fume	
REL (USA)	Long-term value: 1* 0,1** mg/m <sup>3</sup> as Cu *dusts and mists **fume	
TLV (USA)	Long-term value: 1* 0,2** mg/m <sup>3</sup> *dusts and mists; **fume; as Cu	
EL (Canada)	Long-term value: 1* 0,2** mg/m <sup>3</sup> *dusts and mists; **fume, as Cu	
EV (Canada)	Long-term value: 0,2* 1** mg/m <sup>3</sup> as copper, *fume;**dust and mists	
9004-34-6 Ce	llulose	
PEL (USA)	Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction	
TLV (USA)	Long-term value: 10 mg/m <sup>3</sup>	
EL (Canada)	Long-term value: 10* 3** mg/m <sup>3</sup> *total dust, **respirable fraction	
EV (Canada)	Long-term value: 10 mg/m <sup>3</sup> paper fibre, total dust	
592-87-0 lead	dithiocyanate	
PEL (USA)	Long-term value: 5 mg/m <sup>3</sup> as CN; Skin	
EV (Canada)	Long-term value: 0,05 mg/m³ as Pb, Skin (organic compounds)	
10294-40-3 b	arium chromate	
PEL (USA)	Long-term value: 0,005* mg/m <sup>3</sup> Ceiling limit: 0,1** mg/m <sup>3</sup> *as Cr(VI) **as CrO3; see 29 CFR 1910,1026	
REL (USA)	Long-term value: 0,0002 mg/m <sup>3</sup> as Cr; See Pocket Guide Apps. A and C	
TLV (USA)	Long-term value: 0,01 mg/m <sup>3</sup> as Cr	
EL (Canada)	Long-term value: 0,01 mg/m <sup>3</sup> as Cr; ACGIH A1 IARC 1	
DNELs No fu	ther relevant information available.	
• PNECs No fu	ther relevant information available.	

Printing date: September 10, 2014

Revision: September 10, 2014

### Trade name: Stinger® 32-Caliber Rubber Balls

	(Contd. of page 7)
-	s with biological limit values:
10294-40-3	3 barium chromate
BEI (USA)	25 µg/L Medium: urine Time: end of shift at end of workweek Parameter: Total chromium (fume)
	10 μg/L Medium: urine Time: increase during shift Parameter: Total chromium (fume)
· Additional	information: The lists valid during the making were used as basis.
<ul> <li>Personal p</li> <li>General pr</li> <li>The usual p</li> <li>Keep away</li> <li>Wash hand</li> <li>Respirator</li> <li>Protection</li> <li>Wear glove</li> <li>The glove p</li> <li>Selection of</li> <li>degradation</li> <li>Material of</li> <li>The select</li> <li>quality and</li> <li>substances</li> <li>checked pr</li> <li>Penetration</li> </ul>	es for the protection against mechanical hazards according to NIOSH or EN 388. material has to be impermeable and resistant to the product/ the substance/ the preparation. of the glove material on consideration of the penetration times, rates of diffusion and the n. f <b>gloves</b> ion of the suitable gloves does not only depend on the material, but also on further marks of d varies from manufacturer to manufacturer. As the product is a preparation of several s, the resistance of the glove material can not be calculated in advance and has therefore to be ior to the application. <b>n time of glove material</b> break through time has to be found out by the manufacturer of the protective gloves and has to ed.
<ul> <li>Body prote</li> <li>Limitation</li> <li>No further</li> <li>Risk mana</li> <li>See Sectio</li> <li>Organizatio</li> </ul>	fety glasses ection: Protective work clothing and supervision of exposure into the environment relevant information available. Igement measures n 7 for additional information. onal measures should be in place for all activities involving this product. relevant information available.

(Contd. on page 9)

Printing date: September 10, 2014

Revision: September 10, 2014

### Trade name: Stinger® 32-Caliber Rubber Balls

(Contd. of page 8)

SECTION 9: Physical and chemical properties		
<ul> <li>9.1 Information on basic physical and chemical properties</li> <li>General Information</li> </ul>		
<ul> <li>Appearance: Form: Colour:</li> <li>Odour:</li> <li>Odour:</li> <li>Odour threshold:</li> </ul>	Solid metal container containing liquid and solid contents. According to product specification Odourless Not determined.	
· pH-value:	Not applicable.	
<ul> <li>Change in condition Melting point/Melting range: Boiling point/Boiling range:</li> </ul>	Not Determined. Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not determined.	
• Auto/Self-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
Self-igniting:	Product is not self-igniting.	
Danger of explosion:	Heating may cause an explosion.	
<ul> <li>Explosion limits: Lower: Upper:</li> </ul>	Not determined. Not determined.	
Vapour pressure:	Not applicable.	
<ul> <li>Density:</li> <li>Relative density</li> <li>Vapour density</li> <li>Evaporation rate</li> </ul>	Not determined. Not determined. Not applicable. Not applicable.	
<ul> <li>Solubility in / Miscibility with water:</li> </ul>	Insoluble.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.	
· 9.2 Other information	No further relevant information available.	

(Contd. on page 10)

Printing date: September 10, 2014

Revision: September 10, 2014

#### Trade name: Stinger® 32-Caliber Rubber Balls

(Contd. of page 9)

### **SECTION 10: Stability and reactivity**

#### · 10.1 Reactivity

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions
   Danger of explosion.
   Toxic fumes may be released if heated above the decomposition point.
   Reacts with strong acids and alkali.
   Reacts violently with oxidizing agents.
   10.4 Conditions to avoid Sources of ignition, open flame, incompatible materials.
   10.5 Incompatible materials: Oxidizers
- **10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide Nitrogen oxides Sulphur oxides (SOx)

### **SECTION 11: Toxicological information**

- $\cdot$  11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin:

Not a skin irritant in unused form. Vapors/particles from used product are possibly irritating to skin.

- · on the eye:
- Not an eye irritant in unused form. Vapors/particles from used product are possibly irritating to eyes.

Additional toxicological information:

Normal handling of the undeployed product poses little or no health hazards, One should avoid inhalation by wearing appropriate respiratory protection when exposed to the chemical ingredients of the product above listed TLV's or when exposed to the post ignition by-products. This product is a cansister which contains the various components completely sealed within. Therefore, under normal handling of this product, no exposure to any harmful materials will occur. When the product is used, particles may be generated which may be irritating to the eyes and the respiratory tract.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential May be accumulated in organism
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish

(Contd. on page 11)

GHS

Printing date: September 10, 2014

Revision: September 10, 2014

#### Trade name: Stinger® 32-Caliber Rubber Balls

(Contd. of page 10)

#### Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

#### • 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

#### · Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

#### **SECTION 14: Transport information**

- · 14.1 UN-Number
- $\cdot$  DOT, ADR, IMDG, IATA
- $\cdot$  14.2 UN proper shipping name
- $\cdot$  DOT, IATA
- · ADR
- ·IMDG
- · 14.3 Transport hazard class(es)
- · DOT, ADR, IMDG



Class

### UN0452

GRENADES, PRACTICE, ENVIRONMENTALLY HAZARDOUS 0452, GRENADES, PRACTICE, ENVIRONMENTALLY HAZARDOUS GRENADES, PRACTICE, MARINE POLLUTANT

(Contd. on page 12)

Printing date: September 10, 2014

Revision: September 10, 2014

Label	(Contd. of page 11 1.4G
ΙΑΤΑ	
1.4	
G. Contraction of the second s	
Class	1.4
· Label	1.4G
<ul> <li>14.4 Packing group</li> </ul>	
· DOT, ADR, IMDG, IATA	II
• 14.5 Environmental hazards:	
· Marine pollutant:	Yes
Special marking (ADD):	Symbol (fish and tree)
<ul> <li>Special marking (ADR):</li> <li>14.6 Special precautions for user</li> </ul>	Symbol (fish and tree)
· EMS Number:	Not applicable. F-A,S-Q
• 14.7 Transport in bulk according to Ann	
MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	UN0452, GRENADES, PRACTICE
	ENVIRONMENTALLY HAZARDOUS, 1.4G, II
SECTION 15: Regulatory informa	tion
. 15.1 Safety, health and environmental re	egulations/legislation specific for the substance or mixture
· United States (USA)	
· · ·	
· SARA	
	tances):
<ul> <li>SARA</li> <li>Section 355 (extremely hazardous subs None of the ingredients is listed.</li> </ul>	tances):
Section 355 (extremely hazardous subs	
• Section 355 (extremely hazardous subs None of the ingredients is listed.	ings):

7440-66-6 zinc metal

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

7440-50-8 copper

· Proposition 65 (California):

Chemicals known to cause cancer:

592-87-0 lead dithiocyanate

10294-40-3 barium chromate

7758-97-6 lead chromate

 $\cdot$  Chemicals known to cause reproductive toxicity for females:

10294-40-3 barium chromate

(Contd. on page 13)

Printing date: September 10, 2014

Revision: September 10, 2014

## Trade name: Stinger® 32-Caliber Rubber Balls

		(Contd. of page 1
7758-97-6	lead chromate	
· Chemicals	known to cause reproductive toxicity for mal	les:
10294-40-3	294-40-3 barium chromate	
7758-97-6	97-6 lead chromate	
· Chemicals	known to cause developmental toxicity:	
10294-40-3	barium chromate	
7758-97-6	lead chromate	
•	nic Categories	
· EPA (Envir	onmental Protection Agency)	
7778-74-7	potassium perchlorate	NL
7440-50-8	copper	D
	zinc metal	D, I, II
10294-40-3	barium chromate	A(inh), D(oral), K/L(inh), CBD(ora
· IARC (Inter	national Agency for Research on Cancer)	
10294-40-3	barium chromate	
69012-64-2	Silica-Amorphous Silica fume	
· TLV (Thres	hold Limit Value established by ACGIH)	
•	aluminium powder (pyrophoric)	A
10294-40-3	barium chromate	A
· NIOSH-Ca	National Institute for Occupational Safety and	d Health)
	barium chromate	
· Canada		
	Oomestic Substances List (DSL)	
	nts are listed.	
-	ngredient Disclosure list (limit 0.1%)	
	barium chromate	
· Canadian I	ngredient Disclosure list (limit 1%)	
	aluminium powder (pyrophoric)	
7440-50-8	copper	
This produc	lations, limitations and prohibitive regulation t has been classified in accordance with hazard S contains all the information required by the Cor	criteria of the Controlled Products Regulation
	s of very high concern (SVHC) according to R	-
None of the	ingredients is listed.	
· 15.2 Chemi	cal safety assessment: A Chemical Safety Ass	sessment has not been carried out.

(Contd. on page 14)

Printing date: September 10, 2014

Revision: September 10, 2014

#### Trade name: Stinger® 32-Caliber Rubber Balls

(Contd. of page 13)

#### SECTION 16: Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Relevant phrases H250 Catches fire spontaneously if exposed to air. H260 In contact with water releases flammable gases which may ignite spontaneously. H261 In contact with water releases flammable gases. H271 May cause fire or explosion; strong oxidiser. H272 May intensify fire; oxidiser. Harmful if swallowed. H302 H315 Causes skin irritation. H332 Harmful if inhaled. H360Df May damage the unborn child. Suspected of damaging fertility. May cause damage to organs through prolonged or repeated exposure. H373 H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. R15 Contact with water liberates extremely flammable gases. R17 Spontaneously flammable in air. R20/22 Harmful by inhalation and if swallowed. Harmful if swallowed. R22 R33 Danger of cumulative effects. R38 Irritating to skin. R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. May cause harm to the unborn child. R61 R62 Possible risk of impaired fertility. R8 Contact with combustible material may cause fire. R9 Explosive when mixed with combustible material. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) Expl. 1.4: Explosives, Division 1.4 Pyr. Sol. 1: Pyorphoric Solids, Hazard Category 1 Water-react. 1: Substances and Mixtures which, in contact with water, emit flammable gases, Hazard Category 1 Water-react. 2: Substances and Mixtures which, in contact with water, emit flammable gases, Hazard Category 2

(Contd. on page 15)

Printing date: September 10, 2014

Revision: September 10, 2014

#### Trade name: Stinger® 32-Caliber Rubber Balls

(Contd. of page 14)

Ox. Sol. 1: Oxidising Solids, Hazard Category 1 Ox. Sol. 2: Oxidising Solids, Hazard Category 2 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Repr. 1A: Reproductive toxicity, Hazard Category 1A STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 **Sources** SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com