

LPA-142 Solvent

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Trade name	LPA-142 Solvent		
Synonyms	Paraffinic Naphthenic Solvent, Aliphatic Solvent		
Use	Industrial use, Industrial & Institutional cleaning, Paint and Coatings, Water treatment chemical		
Company	Sasol Chemicals (USA) LLC (an affiliate of Sasol Chemicals North America LLC)		
Address	12120 Wickchester Lane, Houston, TX 77079		
Telephone	CHEMTREC North America Transportation Emergency (24-hr)		(800) 424 9300
	CHEMTREC World Wide		(703) 527-3887
	Other Emergencies (24-hr)		(337) 494 5142
	SDS and Product Information (8:00am-4:30pm CST)		(281) 588 3491
	Health and Safety Information (7:30am-4:00pm CST)		(281) 588 3492
E-mail address	SasolElectronicSDS@us.sasol.com		

SECTION 2 HAZARDS IDENTIFICATION

OSHA/GHS Hazards	Flammable liquids	Category 4
	Aspiration hazard	Category 1

LABEL ELEMENTS**Hazard symbols****Signal word** Danger

Hazard statements H227 Combustible liquid.
H304 May be fatal if swallowed and enters airways.

Precautionary statements

Prevention P210 Keep away from open flames/hot surfaces. - No smoking.
P280 Wear protective gloves/ eye protection/ face protection.

Response P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide for extinction.

LPA-142 Solvent

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
 P331 Do NOT induce vomiting.

Storage P403 + P405 + P235 Store locked up in a well-ventilated place. Keep cool.

Disposal P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

<u>Components</u>	<u>CAS-No.</u>	<u>Weight percent</u>
Distillates, petroleum, hydrotreated light	64742-47-8	100

See Section 8 for Exposure Guidelines and Section 15 for Regulatory Classifications.

SECTION 4 FIRST AID MEASURES

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. When symptoms persist or in all cases of doubt seek medical advice. Wash contaminated clothing before re-use.

Inhalation Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. In case of shortness of breath, give oxygen. Call a physician immediately.

Ingestion If swallowed, call a poison control centre or doctor immediately. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

SECTION 5 FIREFIGHTING MEASURES

FLAMMABLE PROPERTIES

Fire/explosion NFPA Class IIIA combustible liquid.

Suitable extinguishing media Water spray or fog, foam, dry chemical, CO₂.

Protective equipment and precautions for firefighters Wear self-contained breathing apparatus and protective suit.

Further information Keep containers and surroundings cool with water spray.

LPA-142 Solvent

SECTION 6 ACCIDENTAL RELEASE MEASURES

Methods and materials for containment and cleaning up Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7 HANDLING AND STORAGE

Safe handling advice Ensure all equipment is electrically grounded before beginning transfer operations.

Storage/Transport temperature Ambient

Storage/Transport pressure Ambient

Load/Unload temperature Ambient

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING MEASURES

Air contaminant levels should be controlled below the PEL or TLV for this product (see Exposure Guidelines).

PERSONAL PROTECTIVE EQUIPMENT

Eyes Wear as appropriate: Goggles, Face-shield

Skin Wear suitable protective clothing, gloves and eye/face protection.

Inhalation Respiratory protection is normally not required except in emergencies or when conditions cause excessive airborne levels of mists or vapors. Use NIOSH approved respiratory protection.

EXPOSURE GUIDELINES

Contains no substances with occupational exposure limit values., The following Sasol internal standard would apply:., 100 ppm (525 mg/m³) for 8-hour TWA (Exposure limits for Petroleum Distillate - Stoddard Solvent)

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance liquid;

Colour clear

LPA-142 Solvent

Form	liquid
Odour	hydrocarbon-like
Odour Threshold	No data available
Flash point	Average 63 °C, 145 °F; ASTM D 56;
Flammability	Upper explosion limit: 7.0 %(V) Lower explosion limit: 0.7 %(V)
Boiling point/boiling range	192 - 211 °C, 376 - 412 °F; ASTM D-86; ASTM D-86;
Melting point/range	< -70 °C, < -94 °F; ASTM D 2386;
Auto-ignition temperature	233 °C, 453 °F; ASTM E 659;
Decomposition temperature	No data available
Flammability (solid, gas)	No data available
Vapour pressure	0.32 mm Hg @ 20 °C, 68 °F; API Calculation;
Vapour density	5.4
Density	0.803 g/cm ³ @ 15.5 °C, 60 °F; ASTM D 287;
Relative density	No data available
Water solubility	negligible
Viscosity	1.35 cSt @ 40 °C, 104 °F; ASTM D 445;
pH	No data available
Evaporation rate	No data available
Partition coefficient: n-octanol/water	No data available

LPA-142 Solvent

SECTION 10 STABILITY AND REACTIVITY

Reactivity	Stable at normal ambient temperature and pressure.
Chemical stability	No decomposition if stored and applied as directed.
Conditions to avoid	Keep away from heat and sources of ignition.
Hazardous decomposition products	Hazardous gases and vapors produced in fire are oxides of carbon.
Materials to avoid	Oxidizing agents
Hazardous polymerisation	None.

SECTION 11 TOXICOLOGICAL INFORMATION

Acute dermal toxicity	LD50 Rabbit: 2,000 - 4,000 mg/kg
Acute inhalation toxicity	LC50 Rat (4 hours): > 4.3 mg/l All rats survived at indicated concentration.
Acute oral toxicity	LD50 Rat: > 5,000 mg/kg
Skin corrosion/irritation	Primary irritation (Rabbit): 1.2 (Max. score is 8.0.)
Serious eye damage/eye irritation	Primary irritation (Rabbit): 1 hours; 3.0 (Max. score is 110.)
Respiratory or skin sensitisation	No data available
Germ cell mutagenicity	Genotoxicity in vitro: No data available Genotoxicity in vivo: No data available Assessment Mutagenicity: No data available
Reproductive toxicity	Reproductive toxicity: No data available

LPA-142 Solvent

Assessment Reproductive toxicity:

No data available

Teratogenicity:

No data available

Assessment teratogenicity:

No data available

STOT - single exposure No data available

STOT - repeated exposure No data available

Aspiration toxicity May be fatal if swallowed and enters airways.

Carcinogenicity **Assessment carcinogenicity:**
Contains no ingredient listed as a carcinogen

SECTION 12 ECOLOGICAL INFORMATION

Aquatic toxicity Not toxic to aquatic organisms (fish, daphnia, algae) up to water solubility.

Toxicity to fish No data available

Toxicity to aquatic invertebrates No data available

Toxicity to algae No data available

Chronic toxicity to fish No data available

Chronic toxicity to aquatic invertebrates No data available

Biodegradation Readily biodegradable.

OECD Test Guideline 301F (28 d): 97 %
Test substance: LPA 142 Solvent

Bioaccumulative potential No data available

Mobility in soil No data available

Other adverse effects No data available

LPA-142 Solvent

SECTION 13 DISPOSAL CONSIDERATIONS

- Waste Code** Any unused product or empty containers may be disposed of as non-hazardous in accordance with state and federal requirements. Re-evaluation of the product may be required by the user at the time of disposal, since the product uses, transformations, mixtures, contamination, and spillage may change the classification.
- Disposal methods** Dispose of only in accordance with local, state, and federal regulations. Land disposal of this product is restricted. Do not contaminate any lakes, streams, ponds, groundwater or soil.
- Empty containers.** Empty containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Empty drums should be completely drained, triple-rinsed, properly bunged and promptly returned to a drum reconditioner, or properly disposed.

SECTION 14 TRANSPORT INFORMATION

DOT Not regulated. Product does not sustain combustion (49 CFR 173.120(b)(3)).

IATA not regulated

IMDG not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks No data available

SECTION 15 REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA Inventory Listing

Components

Distillates, petroleum, hydrotreated light

All chemical substances in this product are either on the TSCA Active Inventory, or in compliance with the inventory.

CAS-No.

64742-47-8

SARA 302 Status

Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

CAS-No.

Weight percent

SARA 311/312 Classification

LPA-142 Solvent

Flammable liquids, Aspiration hazard

SARA 313 Chemical

Components

CAS-No.

Weight percent

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Components

Reportable Quantity

Weight percent

none

INTERNATIONAL REGULATIONS

WHMIS Classification

Flammable liquids	Category 4
Aspiration hazard	Category 1

European Union

Classification according to Regulation (EU) 1272/2008.

Aspiration hazard, Category 1
Repeated exposure may cause skin dryness or cracking.

Australia. Inventory of Chemical Substances (AICS)	Listed
Japan. Inventory of Existing and New Chemical Substances (ENCS)	Listed
Japan. ISHL - Inventory of Chemical Substances	Listed
Canada. Domestic Substances List (DSL) Inventory	Listed
Canada. Non-Domestic Substance Listing (NDSL)	Not listed
Philippines. Inventory of Chemicals / Chemical Substances (PICCS)	Listed
Korea. Existing Chemicals Inventory (KECI)	Listed
China. Inventory of Existing Chemical Substances (IECSC)	Listed
Mexico. National Inventory of Chemical Substances (INSQ)	Listed
New Zealand. Inventory of Chemical Substances (NZIoC)	Listed
Switzerland. Inventory of Notified New Substances (CHINV)	Listed
Taiwan. National Existing Chemical Inventory (NECI)	Listed

LPA-142 Solvent

Please note: The names and CAS numbers which are used for this product in the stated inventories may deviate from the information which is listed in Section 3.

STATE REGULATIONS

California Prop. 65

Components

none

CAS-No.

SECTION 16 OTHER INFORMATION

HAZARD RATINGS

	<u>Health</u>	<u>Flammability</u>	<u>Physical Hazard/ Instability</u>
HMIS®	1	2	0
NFPA	1	2	0

THE DATA AND INFORMATION CONTAINED HEREIN ARE BEING FURNISHED FOR INFORMATIONAL PURPOSES ONLY, UPON THE EXPRESS CONDITION THAT EACH CUSTOMER SHALL MAKE ITS OWN ASSESSMENT OF APPROPRIATE USE AND APPROPRIATE SHIPPING, TRANSFER AND STORAGE MATERIALS AND PROCEDURES FOR SASOL CHEMICALS (USA) LLC'S PRODUCTS. ALTHOUGH BASED ON INFORMATION SOURCES WHICH SASOL CHEMICALS (USA) LLC CONSIDERS ACCURATE AND RELIABLE, SASOL CHEMICALS (USA) LLC MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, REGARDING THE VALIDITY OF THIS INFORMATION, THE INFORMATION SOURCES UPON WHICH THE SAME ARE BASED, OR THE RESULTS TO BE OBTAINED, AND EXPRESSLY DISCLAIMS LIABILITIES FOR DAMAGES OR INJURIES RESULTING FROM THE USE THEREOF.
