



Be Right™

SAFETY DATA SHEET

Issue Date 27-Mar-2018

Revision Date 16-Aug-2018

Version 4.3

Page 1 / 19

1. IDENTIFICATION

Product identifier

Product Name NitraVer® 5 Nitrate Reagent

Other means of identification

Product Code(s) 1403499

Safety data sheet number M00049

UN/ID no UN3288

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory reagent. Determination of nitrate.

Uses advised against Consumer use.

Restrictions on use For Laboratory Use Only.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company P.O.Box 389 Loveland, CO 80539 USA +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service +1(515)232-2533 - 8am - 4pm CST

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 3
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Mutagenicity	Category 2
Carcinogenicity	Category 1B
Reproductive toxicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 1
Aquatic Acute Toxicity	Category 1
Chronic aquatic toxicity	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word - Danger

EN / AGHS

Page 1 / 19



Hazard statements

H302 - Harmful if swallowed
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H331 - Toxic if inhaled
H341 - Suspected of causing genetic defects
H350 - May cause cancer
H361 - Suspected of damaging fertility or the unborn child
H372 - Causes damage to organs through prolonged or repeated exposure
H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements

P271 - Use only outdoors or in a well-ventilated area
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P311 - Call a POISON CENTER or doctor/physician
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed
P405 - Store locked up
P501 - Dispose of contents/ container to an approved waste disposal plant
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P362 - Take off contaminated clothing and wash before reuse
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P337 + P313 - If eye irritation persists: Get medical advice/attention
P272 - Contaminated work clothing should not be allowed out of the workplace
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
P363 - Wash contaminated clothing before reuse
P201 - Obtain special instructions before use
P308 + P313 - IF exposed or concerned: Get medical advice/attention
P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P270 - Do not eat, drink or smoke when using this product
P273 - Avoid release to the environment
P391 - Collect spillage
P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
P330 - Rinse mouth

Other Hazards Known

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family
Chemical nature

Mixture.
Mixture of organic compounds, Mixture of inorganic salts.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
Phosphoric acid, potassium salt (1:1)	7778-77-0	30 - 40%	-
Benzenesulfonic acid, 4-amino-	121-57-3	20 - 30%	-
Benzoic acid, 2,5-dihydroxy-	490-79-9	20 - 30%	-
Cadmium	7440-43-9	3 - 7%	-
Copper, [propanedioato(2-)-O,O]-	7268-92-0	<1%	-
2-Propenamide, homopolymer	9003-05-8	<0.1%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not breathe dust. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.
Skin contact	May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician. Wash off immediately with soap and plenty of water for at least 15 minutes.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Do not breathe dust. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Most important symptoms and effects, both acute and delayed

Symptoms	Itching. Rashes. Hives. Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.
---------------------------	--

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact.
Hazardous combustion products	Cadmium oxide. Nitrogen oxides. Sulfur oxides. Phosphorus oxides. Carbon monoxide, Carbon dioxide.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice	Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.
<u>Personal precautions, protective equipment and emergency procedures</u>	
Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid generation of dust. Do not breathe dust.
Other Information	Refer to protective measures listed in Sections 7 and 8.
<u>Environmental precautions</u>	
Environmental precautions	Prevent further leakage or spillage if safe to do so.
<u>Methods and material for containment and cleaning up</u>	
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
Reference to other sections	See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes. Do not breathe dust. Avoid generation of dust. Handle product only in closed system or provide appropriate exhaust ventilation.
--------------------------------	---

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store locked up.
Flammability class	Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Cadmium CAS#: 7440-43-9	TWA: 0.01 mg/m ³ TWA: 0.002 mg/m ³	TWA: 0.1 mg/m ³ TWA: 0.2 mg/m ³ TWA: 5 µg/m ³ (vacated) STEL: 0.3 ppm Ceiling: 0.3 mg/m ³ Ceiling: 0.6 mg/m ³	IDLH: 9 mg/m ³ dust IDLH: 9 mg/m ³ Cd dust and fume
Copper, [propanedioato(2-)-O,O]- CAS#: 7268-92-0	TWA: 1 mg/m ³	NDF	IDLH: 100 mg/m ³ Cu dust and mist TWA: 1 mg/m ³ Cu dust and mist

Appropriate engineering controls

Engineering Controls

Showers
 Eyewash stations
 Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hand Protection

Wear suitable gloves. Impervious gloves.

Eye/face protection

Wear safety glasses with side shields (or goggles). If splashes are likely to occur, wear safety glasses with side-shields.

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing.

General Hygiene Considerations

Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing. Do not breathe dust. Take off contaminated clothing and wash before reuse. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended.

Environmental exposure controls

Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

Thermal hazards

None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Solid	Color	Gray
Appearance	powder	Odor threshold	Not applicable
Odor	Odorless		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Molecular weight	Not applicable	
pH	2.8	5% Solution

Product Code(s) 1403499
Issue Date 27-Mar-2018
Version 4.3

Product Name NitraVer® 5 Nitrate Reagent
Revision Date 16-Aug-2018
Page 6 / 19

Melting point/freezing point 180 °C / 356 °F
Boiling point / boiling range No data available
Evaporation rate Not applicable
Vapor pressure Not applicable
Vapor density (air = 1) Not applicable
Specific gravity (water = 1 / air = 1) 2.0
Partition Coefficient (n-octanol/water) log K_{ow} ~ 0.41
Soil Organic Carbon-Water Partition Coefficient log K_{oc} ~ 0.34
Autoignition temperature No data available
Decomposition temperature No data available
Dynamic viscosity Not applicable
Kinematic viscosity Not applicable

Solubility(ies)

Water solubility

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

<u>Chemical Name</u>	<u>Solubility classification</u>	<u>Solubility</u>	<u>Solubility Temperature</u>
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

Other Information

Metal Corrosivity

Steel Corrosion Rate Not applicable
Aluminum Corrosion Rate Not applicable

Volatile Organic Compounds (VOC) Content

Not applicable

<u>Chemical name</u>	<u>CAS No.</u>	<u>Volatile organic compounds (VOC) content</u>	<u>CAA (Clean Air Act)</u>
Phosphoric acid, potassium salt (1:1)	7778-77-0	No data available	-
Benzenesulfonic acid, 4-amino-	121-57-3	No data available	X
Benzoic acid, 2,5-dihydroxy-	490-79-9	No data available	-
Cadmium	7440-43-9	Not applicable	-
Copper, [propanedioato(2-)-O,O]-	7268-92-0	No data available	-
2-Propenamide, homopolymer	9003-05-8	No data available	-

Explosive properties

Upper explosion limit No data available
Lower explosion limit No data available

Product Code(s) 1403499
Issue Date 27-Mar-2018
Version 4.3

Product Name NitraVer® 5 Nitrate Reagent
Revision Date 16-Aug-2018
Page 7 / 19

Flammable properties

Flash point Not applicable

Flammability Limit in Air

Upper flammability limit No data available

Lower flammability limit No data available

Oxidizing properties

No data available.

Bulk density

No data available

Particle Size

No information available

Particle Size Distribution

No information available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None

Sensitivity to Static Discharge None.

Possibility of Hazardous Reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Conditions to avoid Excessive heat.

Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

Hazardous Decomposition Products

Phosphorus oxides. Sulfur oxides. Carbon dioxide. Carbon monoxide. Nitrogen oxides.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Inhalation May cause irritation of respiratory tract. Toxic by inhalation.

Eye contact Irritating to eyes. Causes serious eye irritation.

Skin contact May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Causes skin irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed.

Symptoms

Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes. Coughing

and/ or wheezing. Difficulty in breathing.

Aggravated Medical Conditions Skin disorders. Eye disorders. Allergies. Respiratory disorders. Blood disorders. Kidney disorders. Prostate. lungs.

Toxicologically synergistic products None known.

Toxicokinetics, metabolism and distribution See ingredients information below.

Chemical name	Toxicokinetics, metabolism and distribution
Benzenesulfonic acid, 4-amino- (20 - 30%) CAS#: 121-57-3	The only metabolite found in the urine of rat, rabbits, guinea-pigs is the N-acetylated derivative. In rats and rabbits the compound is only partly metabolized, whereas in guinea-pigs ca. 75% are excreted as N-acetyl derivative.
Benzoic acid, 2,5-dihydroxy- (20 - 30%) CAS#: 490-79-9	Aspirin metabolite.
2-Propenamamide, homopolymer (<0.1%) CAS#: 9003-05-8	Polyacrylamide is not toxic; however, unpolymerized acrylamide, which is a neurotoxin, can be present in very small amount in the polymerized acrylamide. Therefore, it is recommended to handle it with caution.

Product Acute Toxicity Data

Test data reported below

Oral Exposure Route

Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Rat LD ₅₀	1500 mg/kg	None reported	Behavioral Decreased locomotor activity Lungs, Thorax, or Respiration Respiratory depression Gastrointestinal Diarrhea Piloerection Chronic Death	Outside testing

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

Unknown Acute Toxicity

5.59813% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	0.89 mg/L
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Ingredient Acute Toxicity Data

Oral Exposure Route

If available, see data below

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
---------------	----------	----------	----------	-----------------------	-------------------------------

	type	dose	time		sources for data
Phosphoric acid, potassium salt (1:1) (30 - 40%) CAS#: 7778-77-0	Mouse LD ₅₀	1700 mg/kg	None reported	None reported	IUCLID (The International Uniform Chemical Information Database)
Benzenesulfonic acid, 4-amino- (20 - 30%) CAS#: 121-57-3	Rat LD ₅₀	12300 mg/kg	None reported	None reported	IUCLID (The International Uniform Chemical Information Database)
Benzoic acid, 2,5-dihydroxy- (20 - 30%) CAS#: 490-79-9	Rat LD ₅₀	800 mg/kg	None reported	None reported	RTECS (Registry of Toxic Effects of Chemical Substances)
Cadmium (3 - 7%) CAS#: 7440-43-9	Rat LD ₅₀	225 mg/kg	None reported	None reported	ERMA (New Zealand's Environmental Risk Management Authority)

Dermal Exposure Route If available, see data below

Inhalation (Dust/Mist) Exposure Route If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Cadmium (3 - 7%) CAS#: 7440-43-9	Rat LC ₅₀	0.0125 mg/L	4 hours	None reported	ERMA (New Zealand's Environmental Risk Management Authority)

Inhalation (Vapor) Exposure Route If available, see data below

Inhalation (Gas) Exposure Route If available, see data below

Product Specific Target Organ Toxicity Single Exposure Data

Oral Exposure Route

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

Ingredient Specific Target Organ Toxicity Single Exposure Data

Oral Exposure Route If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Cadmium (3 - 7%) CAS#: 7440-43-9	Rabbit TD _{Lo}	70 mg/kg	None reported	None reported	RTECS (Registry of Toxic Effects of Chemical Substances)

Dermal Exposure Route If available, see data below

Inhalation (Dust/Mist) Exposure Route If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Cadmium (3 - 7%) CAS#: 7440-43-9	Human LC _{Lo}	39 mg/m ³	20 minutes	Vascular Thrombosis distant from injection site Lungs, Thorax, or Respiration Respiratory depression	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Vapor) Exposure Route If available, see data below

Inhalation (Gas) Exposure Route If available, see data below

Aspiration toxicity

If available, see data below

Kinematic viscosity

Not applicable

Product Skin Corrosion/Irritation Data

No data available.

Ingredient Skin Corrosion/Irritation Data

If available, see data below

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Benzenesulfonic acid, 4-amino- (20 - 30%) CAS#: 121-57-3	Standard Draize Test	Rabbit	500 mg	24 hours	Mild skin irritant	RTECS (Registry of Toxic Effects of Chemical Substances)

Product Serious Eye Damage/Eye Irritation Data

No data available.

Ingredient Eye Damage/Eye Irritation Data

If available, see data below

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Benzenesulfonic acid, 4-amino- (20 - 30%) CAS#: 121-57-3	Standard Draize Test	Rabbit	100 mg	24 hours	Eye irritant	RTECS (Registry of Toxic Effects of Chemical Substances)

Sensitization Information

Product Sensitization Data

Skin Sensitization Exposure Route

No data available.

Respiratory Sensitization Exposure Route

No data available.

Ingredient Sensitization Data

Skin Sensitization Exposure Route

If available, see data below.

Chemical name	Test method	Species	Results	Key literature references and sources for data
Benzenesulfonic acid, 4-amino- (20 - 30%) CAS#: 121-57-3	OECD Test No. 406: Skin Sensitization	Guinea pig	Confirmed to be a skin sensitizer	IUCLID (The International Uniform Chemical Information Database)

Respiratory Sensitization Exposure Route

If available, see data below.

Chronic Toxicity Information

Product Specific Target Organ Toxicity Repeat Dose Data

Oral Exposure Route

No data available.

Dermal Exposure Route

No data available.

Inhalation (Dust/Mist) Exposure Route

No data available.

Inhalation (Vapor) Exposure Route

No data available.

Inhalation (Gas) Exposure Route

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Oral Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Cadmium (3 - 7%) CAS#: 7440-43-9	Rat TD _{Lo}	37.5 mg/kg	30 days	Biochemical Enzyme inhibition, induction, or change in blood or tissue levels (other enzymes) Blood Other changes Kidney, Ureter, or Bladder Other changes in urine	RTECS (Registry of Toxic Effects of Chemical Substances)

Chemical name	Endpoint type	Reported dose	Exposure time	composition Toxicological effects	Key literature references and sources for data
Cadmium (3 - 7%) CAS#: 7440-43-9	Rat LOAEL	0.025 mg/m ³	90 days	Lungs, Thorax, or Respiration Structural or functional change in trachea or bronchi	ECHA (The European Chemicals Agency)

Dermal Exposure Route

If available, see data below

Inhalation (Dust/Mist) Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Cadmium (3 - 7%) CAS#: 7440-43-9	Man TD _{Lo}	0.000088 mg/L	8.6 years	Kidney, Ureter, or Bladder Proteinuria	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Vapor) Exposure Route

If available, see data below

Inhalation (Gas) Exposure Route

If available, see data below

Product Carcinogenicity Data

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

Ingredient Carcinogenicity Data

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
Phosphoric acid, potassium salt (1:1)	7778-77-0	-	-	-	-
Benzenesulfonic acid, 4-amino-	121-57-3	-	-	-	-
Benzoic acid, 2,5-dihydroxy-	490-79-9	-	-	-	-
Cadmium	7440-43-9	A2	Group 1	Known	X
Copper, [propanedioato(2-)-O,O]-	7268-92-0	-	-	-	-
2-Propenamide, homopolymer	9003-05-8	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of Labor)	X - Present

Oral Exposure Route

If available, see data below

Dermal Exposure Route

If available, see data below

Inhalation (Dust/Mist) Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Cadmium (3 - 7%) CAS#: 7440-43-9	Human	0.129 mg/L	20 years	Lungs, Thorax, or Respiration Tumors	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Vapor) Exposure Route

If available, see data below

Inhalation (Gas) Exposure Route

If available, see data below

Product Germ Cell Mutagenicity *in vitro* Data

No data available.

Ingredient Germ Cell Mutagenicity *in vitro* Data

If available, see data below

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Benzenesulfonic acid, 4-amino- (20 - 30%) CAS#: 121-57-3	Mutation in microorganisms	<i>Salmonella typhimurium</i>	None reported	None reported	Negative test result for mutagenicity	IUCLID (The International Uniform Chemical Information Database)
Benzoic acid, 2,5-dihydroxy- (20 - 30%) CAS#: 490-79-9	DNA inhibition	Human lymphocyte	1 mmol/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)
Cadmium (3 - 7%) CAS#: 7440-43-9	DNA damage	Human lymphocyte	0.25 mmol/L	1 hours	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Cadmium (3 - 7%) CAS#: 7440-43-9	Micronucleus test	Mouse embryo	0.006 mmol/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Product Germ Cell Mutagenicity *in vivo* Data

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

Ingredient Germ Cell Mutagenicity *in vivo* Data

Oral Exposure Route

If available, see data below

Dermal Exposure Route

If available, see data below

Inhalation (Dust/Mist) Exposure Route

If available, see data below

Inhalation (Vapor) Exposure Route

If available, see data below

Inhalation (Gas) Exposure Route

If available, see data below

Product Reproductive Toxicity Data

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

Ingredient Reproductive Toxicity Data

Oral Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Cadmium (3 - 7%) CAS#: 7440-43-9	Rat TD _{Lo}	23 mg/kg	22 days	Specific Developmental Abnormalities Blood and lymphatic systems (including spleen and marrow)	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Cadmium (3 - 7%) CAS#: 7440-43-9	Rat TD _{Lo}	215 mg/kg	Multiple generations	Effects on Fertility Pre-implantation mortality (e.g. reduction in number of implants)	RTECS (Registry of Toxic Effects of Chemical Substances)

				per female; total number of implants per corpora lutea) Effects on Newborn Germ cell effects (in offspring)
--	--	--	--	--

Dermal Exposure Route If available, see data below
Inhalation (Dust/Mist) Exposure Route If available, see data below
Inhalation (Vapor) Exposure Route If available, see data below
Inhalation (Gas) Exposure Route If available, see data below

12. ECOLOGICAL INFORMATION

Ecotoxicity Very toxic to aquatic life with long lasting effects

Product Ecological Data

Aquatic toxicity

Fish No data available
Crustacea No data available
Algae No data available

Ingredient Ecological Data

Aquatic toxicity

Fish If available, see ingredient data below

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Benzenesulfonic acid, 4-amino- (20 - 30%) CAS#: 121-57-3	96 hours	<i>Pimephales promelas</i>	LC ₅₀	100.4 mg/L	IUCLID (The International Uniform Chemical Information Database)
Benzoic acid, 2,5-dihydroxy- (20 - 30%) CAS#: 490-79-9	96 hours	None reported	LC ₅₀	1140 mg/L	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™
Cadmium (3 - 7%) CAS#: 7440-43-9	96 hours	<i>Morone saxatilis</i>	LC ₅₀	0.019 mg/L	PEEN (Pan European Ecological Network)
Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Cadmium (3 - 7%) CAS#: 7440-43-9	7 days	<i>Epinephelus coioides</i>	NOEC	0.03333 mg/L	ECHA (The European Chemicals Agency)

Crustacea If available, see ingredient data below

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Benzenesulfonic acid, 4-amino- (20 - 30%) CAS#: 121-57-3	48 Hours	<i>Daphnia magna</i>	EC ₅₀	85.66 mg/L	IUCLID (The International Uniform Chemical Information Database)
Benzoic acid, 2,5-dihydroxy- (20 - 30%) CAS#: 490-79-9	48 Hours	None reported	EC ₅₀	9811 mg/L	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™
Cadmium (3 - 7%) CAS#: 7440-43-9	48 Hours	None reported	EC ₅₀	0.58 mg/L	PEEN (Pan European Ecological Network)
2-Propenamamide, homopolymer	48 Hours	<i>Daphnia pulex</i>	LC ₅₀	0.08 mg/L	CEPA (Canadian Environmental Protection Agency)

(<0.1%) CAS#: 9003-05-8					
Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Cadmium (3 - 7%) CAS#: 7440-43-9	21 days	<i>Ctenodrilus serratus</i>	NOEC	0.001 mg/L	ECHA (The European Chemicals Agency)

Algae If available, see ingredient data below

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Benzenesulfonic acid, 4-amino- (20 - 30%) CAS#: 121-57-3	72 Hours	<i>Scenedesmus subspicatus</i>	EC ₅₀	91 mg/L	IUCLID (The International Uniform Chemical Information Database)
Benzoic acid, 2,5-dihydroxy- (20 - 30%) CAS#: 490-79-9	96 hours	None reported	EC ₅₀	388 mg/L	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™
Cadmium (3 - 7%) CAS#: 7440-43-9	72 Hours	None reported	EC ₅₀	0.132 mg/L	PEEN (Pan European Ecological Network)
Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Cadmium (3 - 7%) CAS#: 7440-43-9	3 days	<i>Chaetoceros compressum</i>	EC ₁₀	0.00183 mg/L	ECHA (The European Chemicals Agency)

Other Information

Persistence and degradability

Product Biodegradability Data

No data available.

Ingredient Biodegradability Data

Chemical name	Test method	Biodegradation	Exposure time	Results
Benzoic acid, 2,5-dihydroxy- (20 - 30%) CAS#: 490-79-9	None reported	97.6%	20 days	Readily biodegradable
Cadmium (3 - 7%) CAS#: 7440-43-9	Element	None reported	None reported	Not readily biodegradable

Bioaccumulation

Product Bioaccumulation Data

No data available.

Partition Coefficient (n-octanol/water)

log K_{ow} ~ 0.41

Ingredient Bioaccumulation Data

Chemical name	Test method	Exposure time	Species	Bioconcentration factor (BCF)	Results
Cadmium (3 - 7%)	None reported	None reported	None reported	None reported	Not determined

Product Code(s) 1403499
 Issue Date 27-Mar-2018
 Version 4.3

Product Name NitraVer® 5 Nitrate Reagent
 Revision Date 16-Aug-2018
 Page 15 / 19

CAS#: 7440-43-9				
-----------------	--	--	--	--

Mobility

Soil Organic Carbon-Water Partition Coefficient $\log K_{oc} \sim 0.34$

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Other adverse effects

Contains a substance with an endocrine-disrupting potential.

Chemical name	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disrupters - Evaluated Substances	Endocrine disrupting potential
Benzoic acid, 2,5-dihydroxy- (20 - 30%) CAS#: 490-79-9	Group III Chemical	-	-

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

US EPA Waste Number D006

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Cadmium 7440-43-9	-	Included in waste streams: F006, F039, K061, K069, K100	1.0 mg/L regulatory level	-

Special instructions for disposal Dispose of material in an E.P.A. approved hazardous waste facility.

14. TRANSPORT INFORMATION

U.S. DOT

UN/ID no UN3288
 Proper shipping name Toxic solid, inorganic, n.o.s.
 DOT Technical Name Cadmium
 Hazard Class 6.1
 Packing Group III
 Description UN3288, Toxic solid, inorganic, n.o.s. (Cadmium), 6.1, III
 Emergency Response Guide Number 151

TDG

UN/ID no UN3288
 Proper shipping name Toxic solid, inorganic, n.o.s.
 TDG Technical Name Cadmium
 Hazard Class 6.1
 Packing Group III

Product Code(s) 1403499
Issue Date 27-Mar-2018
Version 4.3

Product Name NitraVer® 5 Nitrate Reagent
Revision Date 16-Aug-2018
Page 16 / 19

Description UN3288, Toxic solid, inorganic, n.o.s. (Cadmium), 6.1, III

IATA

UN/ID no UN3288
Proper shipping name Toxic solid, inorganic, n.o.s.
IATA Technical Name Cadmium
Hazard Class 6.1
Packing Group III
ERG Code 6L
Special precautions for user A3,A5
Description UN3288, Toxic solid, inorganic, n.o.s. (Cadmium), 6.1, III

IMDG

UN/ID no UN3288
Proper shipping name Toxic solid, inorganic, n.o.s.
IMDG Technical Name Cadmium
Hazard Class 6.1
Packing Group III
EmS-No F-A, S-A
Special precautions for user 223, 274
Description UN3288, Toxic solid, inorganic, n.o.s. (Cadmium), 6.1, III, Marine Pollutant

Note: No special precautions necessary.

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.
If the item is part of a reagent set or kit the classification would change to the following:
UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.
If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

TSCA Complies
DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS Complies
ENCS Complies
IECSC Complies
KECL Complies
PICCS Does not comply
TCSI Complies
AICS Does not comply
NZIoC Does not comply

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
TCSI - Taiwan Chemical Substances Inventory
AICS - Australian Inventory of Chemical Substances
NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

Product Code(s) 1403499
Issue Date 27-Mar-2018
Version 4.3

Product Name NitraVer® 5 Nitrate Reagent
Revision Date 16-Aug-2018
Page 17 / 19

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Cadmium (CAS #: 7440-43-9)	0.1
Copper, [propanedioato(2-)-O,O]- (CAS #: 7268-92-0)	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Cadmium 7440-43-9	-	X	X	-
Copper, [propanedioato(2-)-O,O]- 7268-92-0	-	X	-	-

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Cadmium 7440-43-9	10 lb	-	RQ 10 lb final RQ RQ 4.54 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Cadmium (CAS #: 7440-43-9)	Carcinogen Developmental Male Reproductive



WARNING: This product can expose you to chemicals including Cadmium, which is known to the State of California to cause cancer and birth defects or other reproductive harm.
For more information, go to <http://www.P65Warnings.ca.gov>

IMERC: Not applicable

U.S. State Right-to-Know Regulations

Product Code(s) 1403499
 Issue Date 27-Mar-2018
 Version 4.3

Product Name NitraVer® 5 Nitrate Reagent
 Revision Date 16-Aug-2018
 Page 18 / 19

Chemical name	New Jersey	Massachusetts	Pennsylvania
Cadmium 7440-43-9	X	X	X
Copper, [propanedioato(2-)-O,O]- 7268-92-0	X	-	X

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Phosphoric acid, potassium salt (1:1)	180.0920	-

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thersholds
Cadmium 7440-43-9	Declarable Substance (LR) Prohibited Substance (LR)	0.0 % 0.01 % 0.1 % 0 %

NFPA and HMIS Classifications

NFPA	Health hazards - 2	Flammability - 0	Instability - 0	Physical and Chemical Properties -
HMIS	Health hazards - 2	Flammability - 0	Physical Hazards - 0	Personal protection - X - See section 8 for more information

Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH *Immediately Dangerous to Life or Health*
 ACGIH ACGIH (American Conference of Governmental Industrial Hygienists)
 NDF *no data*

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation

Product Code(s) 1403499
Issue Date 27-Mar-2018
Version 4.3

Product Name NitraVer® 5 Nitrate Reagent
Revision Date 16-Aug-2018
Page 19 / 19

C Carcinogen
M mutagen
R Reproductive toxicant

Prepared By Hach Product Compliance Department

Issue Date 27-Mar-2018

Revision Date 16-Aug-2018

Revision Note SDS sections updated
2

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2018

End of Safety Data Sheet