Safety Data Sheet LOK-CEASE 20/20

Supercedes Date: 08/25/2020 Issuing Date: 01/06/2023

1. PRODUCT AND COMPANY IDENTIFICATION

Product Code: J250

Product Name: LOK-CEASE 20/20

Recommended use Lubricant Chemical nature Petroleum distillates Mixture

Information on Manufacturer

CERTIFIED LABS, DIV. OF NCH CORP.

CHEMTREC® 800-424-9300

BOX 152170 **Telephone inquiry**IRVING, TEXAS 75015 972-579-2477

2. HAZARD IDENTIFICATION

Color White Physical state Grease Odor Oily

GHS

Classification

Physical Hazards

None

Health Hazard

Serious Eye Damage/Eye Irritation Category 2B

Other hazards

None

Labeling Signal Word WARNING

<u>Hazard statements</u> H320 - Causes eye irritation

Precautionary Statements

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists, get medical attention.

P501 - Dispose of contents and container in accordance with applicable regulations

10 % of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Zinc oxide	1314-13-2	7-13

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

General advice Avoid contact with skin, eyes and clothing. Avoid breathing mist.

Eye Contact Rinse the eyes with water. Remove any contact lenses and continue flushing with plenty of water for

several minutes. Seek medical attention if irritation develops.

Skin ContactNo hazards which require special first aid measures.InhalationNo hazards which require special first aid measures.IngestionNo hazards which require special first aid measures.

5. FIRE-FIGHTING MEASURES

Flash Point 428.8 °F / 220 °C Method No data available

Flammability Limits in Air %: No information available. Upper: No data available Lower: No data available

Suitable Extinguishing Media

Water spray. Carbon dioxide (CO2). Dry chemical. Foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific hazards arising from the chemical

Material can create slippery conditions.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, NOHSC (approved or equivalent) and full protective gear.

NFPA Health 1 Flammability 1 Instability 0 **HMIS** Health 1 Flammability 1 **Physical Hazard** 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Use personal protective equipment. Prevent further leakage or spillage if safe to do so. Material can

create slippery conditions.

Environmental precautions Do not flush into surface water or sanitary sewer system.

Methods for Containment Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13).

Methods for Cleaning Up Pick up and transfer to properly labeled containers.

Neutralizing Agent Not applicable.

7. HANDLING AND STORAGE

Handling Avoid contact with skin, eyes and clothing. Avoid breathing mist.

Storage Store in original container. Keep container tightly closed in a dry and well-ventilated place. Storage Temperature 0 °F / -18 °C Maximum 120 °F / 49 °C Refrigerated **Storage Conditions** Indoor Χ Outdoor Heated

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Chemical name	CAL/OSHA PEL	ACGIH TLV	OSHA PEL	NIOSH	
Zinc oxide	No data available	TWA: 2 mg/m ³ respirable	TWA: 5 mg/m ³ fume	500 mg/m ³	
		particulate matter	TWA: 15 mg/m ³ total dust	Ceiling: 15 mg/m ³	
		STEL: 10 mg/m ³	TWA: 5 mg/m ³ respirable	STEL 10 mg/m ³	
			fraction	TWA: 5 mg/m ³ dust and fume	

Engineering Measures Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this should

should be achieved by the use of local exhaust ventilation and good general extraction.

Safety glasses with side-shields.

Personal Protective Equipment

Eye/Face Protection Skin Protection Respiratory Protection

For prolonged or repeated contact, use protective gloves with appropriate chemical resistance.

In case of insufficient ventilation wear suitable respiratory equipment.

General Hygiene Considerations Ensure that eyewash stations and safety showers are close to the workstation location. Remove

and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state Grease Viscosity Semi-Solid White Color Odor Oily **Odor Threshold** Not applicable **Appearance** Opaque 1.07 Not applicable Specific Gravity pН **Evaporation Rate** 0 (Butyl acetate=1) Percent Volatile (Volume) 0 VOC Content (%) VOC Content (g/L) 0 Vapor pressure <0.01 mmHg @ 70°F Vapor Density 0 (Air = 1.0)

Solubility Negligible n-Octanol/Water Partition No data available Melting Point/Range No data available **Decomposition Temperature** No data available Boiling Point/Range No data available Flammability (solid, gas) No data available 428.8 °F / 220 °C **Flash Point** No data available

Autoignition Temperature No information available. Flammability Limits in Air %:

Upper: No data available Lower: No data available No information available.

10. STABILITY AND REACTIVITY

Chemical Stability Stable. Hazardous polymerization does not occur.

Conditions to Avoid None known.

Incompatible Products Strong oxidizing agents, Strong acids.

Decomposition Temperature No data available

Hazardous Decomposition Products Carbon oxides, Zinc oxide fumes, Fumes of aluminum.

Possibility of Hazardous Reactions None under normal processing.

11. TOXICOLOGICAL INFORMATION

Product Information No information available.

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50 No information available Dermal LD50 No information available

Inhalation LC50

GasNo information availableMistNo information availableVaporNo information available

Principle Route of Exposure Eye contact, Skin contact.

Primary Routes of Entry Skin contact.

Acute Effects:

Eyes Causes eye irritation.

SkinLow hazard for usual industrial or commercial handling.InhalationLow hazard for usual industrial or commercial handling.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chronic Toxicity Prolonged or repeated contact may dry skin and cause irritation.

Target Organ Effects:Respiratory system.Aggravated Medical ConditionsRespiratory disorders.

Component Information

Acute Toxicity

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	Draize Test	Other
Zinc oxide	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 5700 mg/m ³ (Rat) 4 h	No data available	No data available
1314-13-2			- 0.00g ()		

Chronic Toxicity

Chemical name	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Zinc oxide	No data available	No data available	No data available	No data available	Respiratory system
1314-13-2					

Carcinogenicity There are no known carcinogens in this product.

12. ECOLOGICAL INFORMATION

Product Information No information available.

Persistence and Degradability
Bioaccumulation
Mobility
No information available
No information available
No information available

Additional Ecological Information: No information available

Component Information

Chemical name	Toxicity to Algae	Toxicity to Fish	Microtox	Crustacea	Partition
					coefficie
					nt
Zinc oxide	No information available.	LC50 = 1.55 mg/L Danio rerio 96 h	No information available	No information available.	N/A

Persistence and Degradability
Bioaccumulation
No information available.
No information available.
No information available.

13. DISPOSAL CONSIDERATIONS

Product Disposal Dispose of in accordance with local regulations.

Container Disposal Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION

TDG Not regulated

ICAO Not regulated

IATA Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

Inventories

TSCA Listed DSL / NDSL Listed

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS No.	Weight-%	SARA 313 - Threshold Values
Zinc oxide	1314-13-2	7-13	1.0

SARA 311/312 Hazardous Categorization

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CERCLA None

16. OTHER INFORMATION

Prepared By Kim Franklin Supercedes Date: 08/25/2020 Issuing Date: 01/06/2023

Reason for RevisionNo information available.GlossaryNo information available.List of References.No information available.

CERTIFIED LABS, DIV. OF NCH CORP.assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.