

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 06/01/2020 Version: 1.0

ECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: ToughinAL EG N
1.2. Recommended use and restrictions	on use
Use of the substance/mixture	: Antifreeze. Coolant.
Restrictions on use	: No additional information available
1.3. Supplier	
KOST® USA, Inc.	
1000 Tennessee Ave. Cincinnati, 45229 - USA	
T 1-800-661-9391 - F 1-513-492-5555	
sales@kostusa.com - www.kostusa.com	
1.4. Emergency telephone number	
Emergency number	: 1-800-424-9300 CHEMTREC (24 HOURS)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS classification

Acute toxicity (oral), Category 4 Specific target organ toxicity — Repeated exposure, Category 2 Full text of H statements : see section 16

H302 Harmful if swallowed.H373 May cause damage to organs through prolonged or repeated exposure.

2.2. GHS Label elements, including precautionary statements

GHS-US labelling

Hazard pictograms (GHS)



Signal word (GHS)	: Warning
Hazard statements (GHS US)	: H302 - Harmful if swallowed. H373 - May cause damage to organs through prolonged or repeated exposure.
Precautionary statements (GHS)	 P260 - Do not breathe mist, spray, vapours. P264 - Wash hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P301+P312 - If swallowed: Call a doctor if you feel unwell. P314 - Get medical advice/attention if you feel unwell. P320 - Pierce mouth

- P330 Rinse mouth.
- P501 Dispose of contents/container to Collection point.

2.3. Other hazards which do not result in classification

No additional information available

2.4.	Unknown acute toxicity (GHS_U	JS)
		,

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS classification
Ethylene glycol	(CAS-No.) 107-21-1	40 - 60	Acute Tox. 4 (Oral), H302 STOT RE 2, H373
sodium benzoate	(CAS-No.) 532-32-1	1 - 5	Eye Irrit. 2A, H319

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
-------------------------------	--

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
: If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
: Wash skin thoroughly with mild soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.
: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
: Rinse mouth. Call a POISON CENTER/doctor if you feel unwell.
ts (acute and delayed)
: May cause damage to organs through prolonged or repeated exposure.
: In high concentrations : Inhalation may cause: irritation, coughing, shortness of breath.
: May cause slight irritation.
: May cause slight irritation.
: Swallowing a small quantity of this material will result in serious health hazard. Harmful if swallowed.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECT	ION 5: Fire-fighting measures	
5.1.	Suitable (and unsuitable) extinguish	ing media
Suitable	e extinguishing media	: Carbon dioxide. Dry powder. Foam. Sand. Water spray.
Unsuita	ble extinguishing media	: None known.
5.2.	Specific hazards arising from the ch	emical
Fire ha	zard	: No specific fire or explosion hazard.
Reactiv	ity	: No dangerous reactions known.
5.3.	Special protective equipment and p	ecautions for fire-fighters
Firefigh	ting instructions	: Exercise caution when fighting any chemical fire. Do not allow run-off from fire fighting to enter drains or water courses.
Protect	on during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Wear fire/flame resistant/retardant clothing. Wear a self contained breathing apparatus.
SECT	ION 6: Accidental release mea	sures
6.1.	Personal precautions, protective eq	
Genera	Imeasures	: Avoid all eye and skin contact and do not breathe vapour and mist.
6.1.1.	For non-emergency personnel	
Protect	ve equipment	: Chemical goggles or safety glasses. protective gloves. In case of inadequate ventilation wear respiratory protection.
Emerge	ency procedures	: Evacuate unnecessary personnel.
6.1.2.	For emergency responders	
Protect	ve equipment	: Chemical goggles or safety glasses. Neoprene or nitrile rubber gloves. Where excessive vapour, mist, or dust may result, use approved respiratory protection equipment.
Emerge	ency procedures	: Ventilate area.
6.2.	Environmental precautions	
Avoid r	elease to the environment.	
6.3.	Methods and material for containme	nt and cleaning up
For cor	tainment	: Absorb and/or contain spill with inert material, then place in suitable container.
Method	s for cleaning up	Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Take up in non-combustible absorbent material and shove into container for disposal.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.4. Reference to other sections

Section 13: disposal information. Section 7: safe handling. Section 8: personal protective equipment.

Section 15. disposal information. Section	r. sale handling. Section 6. personal protective equipment.
SECTION 7: Handling and stora	age
7.1. Precautions for safe handling	3
Precautions for safe handling	: Avoid contact with skin, eyes and clothing. Do not breathe aerosol. Do not breathe vapours.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, i	including any incompatibilities
Storage conditions	: Keep container closed when not in use. Keep only in the original container in a cool well ventilated place.
Incompatible products	: Strong oxidizing agents. Strong acids. Strong bases.

Incompatible materials

: Heat sources. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ethylene glycol (107-21-1)			
ACGIH	Local name	Ethylene glycol	
ACGIH	ACGIH TWA (ppm)	25 ppm (V - Vapor fraction)	
ACGIH	ACGIH STEL (mg/m ³)	10 mg/m ³ (I - Inhalable particulate matter, H - Aerosol only)	
ACGIH	ACGIH STEL (ppm)	50 ppm (V - Vapor fraction)	
ACGIH	ACGIH Ceiling (mg/m ³)	100 mg/m ³	
ACGIH	ACGIH Ceiling (ppm)	39.4 ppm	
ACGIH	Remark (ACGIH)	TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)	
ACGIH	Regulatory reference	ACGIH 2020	
NIOSH	NIOSH REL (ceiling) (ppm)	50 ppm	
sodium benzoate	sodium benzoate (532-32-1)		
Not oppligable			

Not applicable

8.2. Appropriate engineering controls

Appropriate engineering controls

: Avoid creating mist or spray. Avoid splashing. Either local exhaust or general room ventilation is usually required. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Environmental exposure controls

: Prevent leakage or spillage. Prevent contaminated water run-off.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear suitable gloves. Impermeable protective nitrile gloves

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing. Impervious clothing

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Use an approved respirator equipped with oil/mist cartridges.

Other information:

Do not eat, drink or smoke when using this product.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Physical state	:	Liquid
Appearance	:	Free & clear.
Colour	:	red
Odour	:	No data available
Odour threshold	:	No data available
рН	:	8.2 – 9
Melting point	:	No data available
Freezing point	:	-19 °C
Boiling point	:	158 °C
Flash point	:	> 116 °C
Relative evaporation rate (butylacetate=1)	:	No data available
Flammability (solid, gas)	:	No data available
Vapour pressure	:	No data available
Relative vapour density at 20 °C	:	No data available
Relative density	:	1.12
Density	:	9.364 @ 15.6 °C
Solubility	:	No data available
Log Pow	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available
Explosive limits	:	No data available
Explosive properties	:	No data available
Oxidising properties	:	No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Avoid excessive heat or cold. Keep away from sources of ignition.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity (oral)	: Harmful if swallowed.	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
ATE (oral)	1041.2 mg/kg bodyweight	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ethylene glycol (107-21-1)	
LD50 dermal rat	> 3500 mg/kg (mouse)
LC50 inhalation rat (mg/l)	> 2.5 mg/l/4h
ATE (oral)	500 mg/kg bodyweight
sodium benzoate (532-32-1)	
LD50 oral rat	3140 mg/kg bodyweight
ATE (oral)	3140 mg/kg bodyweight
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.
Ethylene glycol (107-21-1)	
LOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight/day
NOAEL (oral, rat, 90 days)	150 mg/kg bodyweight/day kidney
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
· Viscosity, kinematic	: No data available
Likely routes of exposure	: Skin and eye contact. Inhalation.
Symptoms/effects	: May cause damage to organs through prolonged or repeated exposure.
Symptoms/effects after inhalation	: In high concentrations : Inhalation may cause: irritation, coughing, shortness of breath.
Symptoms/effects after skin contact	: May cause slight irritation.
Symptoms/effects after eye contact	: May cause slight irritation.
Symptoms/effects after ingestion	: Swallowing a small quantity of this material will result in serious health hazard. Harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

Ethylene glycol (107-21-1)		
LC50 fish 1	72860 mg/l Pimephales promelas	
EC50 crustacea	> 100 mg/l	
NOEC chronic fish 15380 mg/l Pimephales promelas		
NOEC chronic crustacea 8590 mg/l Ceriodaphnia sp.		
sodium benzoate (532-32-1)		
LC50 fish 1 484 mg/l 96 h		
EC50 crustacea > 100 mg/l 96 h		

12.2. Persistence and degradability

ToughinAL EG N		
Persistence and degradability Large quantities. May cause long-term adverse effects in the environment.		
Ethylene glycol (107-21-1)		
Persistence and degradability Readily biodegradable.		
Biodegradation > 60 % 28 d		

12.3. Bioaccumulative potential

ToughinAL EG N	
Bioaccumulative potential	Not established.
Ethylene glycol (107-21-1)	
Log Pow - 1.36	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ethylene glycol (107-21-1)		
Bioaccumulative potential Not expected to bioaccumulate.		
12.4. Mobility in soil		
ToughinAL EG N		

12.5. Other adverse effects Other information

: No additional information available.

: Do not dispose of waste into sewer.

OFOT		D'		
SECT	ION 1 3	3: Disp	osai	considerations

13.1. Disposal methods

- Sewage disposal recommendations Waste disposal recommendations
- Ecology waste materials
- Dispose in a safe manner in accordance with local/national regulations.
 Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description
UN-No.(DOT)
Proper Shipping Name (DOT)
Transport hazard class(es) (DOT)
Packing group (DOT)
Hazard labels (DOT)

- : RQ, UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III : UN3082
- . UN3062
- : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
- : 9 Class 9 Miscellaneous hazardous material 49 CFR 173.140
- : III Minor Danger
- : 9 Class 9 (Miscellaneous dangerous materials)



DOT Symbols Other information

- : G Identifies PSN requiring a technical name
- : Bulk: RQ >= 5359, 10141, 8481 lbs; Packaged Goods: Not DOT hazardous.

Transport by sea

Not regulated.

Air transport

Not regulated.

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Ethylene glycol	CAS-No. 107-21-1	40 - 60%
Ethylene glycol (107-21-1)		
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a	a final TSCA section 4 test rule.
CERCLA RQ	5000 lb	

15.2. International regulations

CANADA
Ethylene glycol (107-21-1)
Listed on the Canadian DSL (Domestic Substances List) inventory.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

sodium benzoate (532-32-1)

Listed on the Canadian DSL (Domestic Substances List) inventory.

EU-Regulations

Ethylene glycol (107-21-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

sodium benzoate (532-32-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Ethylene glycol (107-21-1)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on Taiwan National Chemical Inventory

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

sodium benzoate (532-32-1)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on Taiwan National Chemical Inventory

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Mexico - National Inventory of Chemical Substances

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

15.3. US State regulations

WARNING: This product can expose you to Ethylene glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Component	Carcinogenicity	Developmental toxicity	Reproductive toxicity male	Reproductive toxicity female	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Ethylene glycol(107- 21-1)		Х				8700 μg/day (oral)

Component	State or local regulations
Ethylene glycol(107-21-1)	U.S Delaware - Pollutant Discharge Requirements - Reportable Quantities; U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York - Reporting of Releases Part 597 - List of Hazardous Substances; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Disclaimer:

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

End-use applications **NOT** supported by Kost USA, Inc. for monoethylene glycol, diethylene glycol and triethylene glycol. These limitations include products restricted by law, applications in which may raise unacceptable risks, and other applications which Kost USA, Inc. has decided not to, including minimizing unnecessary risk and liabilities to the company. Kost USA, Inc. does not knowingly market these products into these non-supported applications. This list is not all-inclusive, and Kost USA, Inc. reserves the right to modify the same at any time.

- The use of production of tobacco and in the manufacture of tobacco products (including but not limited to additives, humectants, filters, inks, and paper)
- The use for the generation of artificial smoke / theatrical fogs / mist. This includes applications such as artificial / e-cigarettes.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- The use as ingredient in fuel for warming foods (SternoTM-like application) or in fuel for heating an enclosed space where human exposure is . possible.
- The use in fire extinguishing sprinkler systems.
- The use in the manufacture of munitions.
- The use in the production of de-icers for use on roadways, sidewalks and in aircraft lavatories.
- The use as a component of heat transfer fluids in systems where the heat transfer fluids could infiltrate (i.e., via an exchanger leak, backflow prevention failure, or other means) a potable water.
- The use as a non-reacted component in a formulation for direct internal or external human / animal contact, including, but not limited to ingestion, inhalation, and skin contact and in medical / veterinary devices and medial / veterinary. Examples of some such applications are uses as a direct component in foods, beverages, pharmaceuticals, cosmetics, personal care products or children's products.
- The use for consumer or hospital usage for deodorizing or air "purifying" purposes by spraying as an aerosol.
- The use as a non-reacted component in adhesives, plasticizers, and softening agents for packaging having direct contact with food or beverage.
- The use as a non-reacted component in the formulation of glues, pastes, ice / heat packs or other items where the potential for significant human contact and/or ingestion exists (including but not limited to children's school glue/paste or arts/craft glue/paste, toys, children products).
- The use as a fluid for pressure testing piping.

For more information contact your Kost USA, Inc. representative. Data sources : ESIS (European chemincal Substances Information System: accessed at:

http://esis.jrc.ec.europa.eu/index.php?PGM=cla. European Chemicals Agency (ECHA) Registered Substances list. Accessed at http://echa.europa.eu/. Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition. National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition. OSHA 29CFR 1910.1200 Hazard Communication Standard. TSCA Chemical Substance Inventory. Accessed at http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html. United Nations Economic Commission for Europe: About the GHS. Accessed at http://www.unece.org/trans/danger/publi/ghs/ghs_welcome_e.html.

Other information

None.

Full text of H-statements:

H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.

Abbreviations and acronyms:

,	
	ACGIH (American Conference of Government Industrial Hygienists)
	ATE: Acute Toxicity Estimate
	CAS (Chemical Abstracts Service) number
	CLP: Classification, Labelling, Packaging.
	LD50: Lethal Dose for 50% of the test population
	EC50: Environmental Concentration associated with a response by 50% of the test population.
	GHS: Globally Harmonized System (of Classification and Labeling of Chemicals
	OSHA: Occupational Safety & Health Administration
	TSCA: Toxic Substances Control Act
	STEL: Short Term Exposure Limits
	TWA: Time Weighted Average
NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	: 1 - Materials that must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and not reactive with water.

SDS Prepared by: The Redstone Group, dba SafeBridge Consultants, Inc. 110 Polaris Pkwv Suite 200 Westerville, OH USA 43082 P: +1 (614) 923-7472 www.redstonegrp.com