

A  COMPANY

### 1. Chemical product and Company Identification

<b>Company Identification:</b>	Dixon Ticonderoga Company 615 Crescent Executive Court ste. 500 Lake Mary, FL 32746-5036 Telephone: 800-824-9430	<b>Date prepared:</b>	5/7/2003
		<b>Last revised:</b>	10/26/2015
<b>Product Name:</b>	<b>CORRECTION FLUID</b>		
<b>Product Code(s):</b>	31900		

### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

**Product definition:** Mixture

**Classification according to Regulation ( EC ) No. 1272/2008 [CLP/GHS]**

Flammable liquids	Category 2
Aquatic chronic toxicity	Category 2
Acute aquatic toxicity	Category 2
Aspiration toxicity	Category 1
Skin irritation	Category 2
Specific target organ systemic toxicity- single exposure	Category 3

#### 2.2 Label Elements

**Labeling in compliance to Regulation (EC) No. 1272/2008 [CLP/GHS]**

**Hazard Pictograms**



GHS02



GHS09



GHS07



GHS08

### 3. Composition/Information On Ingredients

#### 3.1 Substance

Not applicable

#### 3.2 Mixture

Not Classified as dangerous for supply/use

### 4. First Aid Measures

*No harm to the staff authorized to use has been reported. However, in case of contact, inhalation or ingestion, the following general measures provided for a first aid shall be taken*

<b>Eye Contact:</b>	Flush eyes large amounts of water for at least fifteen minutes. Contact physician
<b>Skin Contact:</b>	Wash skin with soap and water. Seek medical attention in the unlikely event that irritation occurs
<b>Ingestion:</b>	Unlikely to be toxic by ingestion, but seek medical attention
<b>Inhalation:</b>	If symptomatic, move to fresh air and seek medical attention

### 5. Fire Fighting Measures

**Extinguishing Media:** Carbon dioxide, dry chemical or foam recommended. Apply water to cool exposed closed containers

#### Special Fire Fighting

**Procedures:** Self contained breathing apparatus (SCBA) and full protective equipment recommended

**Unusual Fire and Explosion Hazards:** Packaging may be subject to ignition by fire and may release toxic gases

**Flammability Data:** Highly flammable. Vapour is flammable and heavier than air. During heating or in case of fire toxic gases is possible.

**Flash Point:**

**Flammability limits:**

**Auto-ignition temperature:**

**Dust cloud ignition temperature:**

**Dust layer ignition temperature:**

### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

#### 6.2 Environmental precautions

Do not discharge into drains or waterways

### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, and sawdust).  
Dispose of contaminated material as waste according to section 13.

### 6.4 Reference to other sections

Information on safe handling, see section 7.  
Information on personal protective equipment, see section 8.  
Information on waste treatment, see section 13.

## 7. Handling and Storage

### 7.1 Precaution for safe handling

Keep container tightly closed and away from sources of heat, sparks and naked flames.  
Take precautionary measures against static discharges.  
Avoid contact with skin. Avoid breathing mists or vapors.

### 7.2 Conditions for safe storage, including any incompatibilities

Store away from food stuff.  
Keep the container tightly closed in a cool dry, well ventilated place.  
Keep away from all sources of ignition, heat and direct sunlight.  
Avoid accumulation of electrostatic charges.

### 7.3 Specific end use

No further relevant information available

## 8. Exposure Controls/Personal Protection

### Personal protection measures such as personal protective equipment

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### Eye/face protection

Avoid contact with eyes.  
Use eye protection designed to protect against liquid splashes  
Before handling, wear safety goggles in accordance with standard EN166.

#### Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN347  
Gloves must be selected according to the application and duration of use at the workstation.  
Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

#### Body protection

Avoid skin contact  
Wear suitable protective clothing  
After contact with the product, all parts of the body that have been soiled must be washed.

#### Respiratory protection

Avoid breathing vapours  
If the ventilation is insufficient, wear appropriate breathing apparatus

When workers are confronted with concentrations that are above occupational exposure limits, they must wear a suitable, approved, respiratory protection device.

## 9. Physical and Chemical Properties

**Physical State:** Liquid  
**Color:** White  
**Odor:** Characteristic



A  COMPANY

<b>pH:</b>	N/A
<b>Specific gravity:</b>	N/A
<b>Boiling point:</b>	75-110°C
<b>Flash point</b>	-15°C [ASTM D-56]
<b>Evaporation rate:</b>	N/A
<b>Flammability limit LEL</b>	1 % (vol) in air
<b>Flammability limit UEL</b>	7 % (vol) in air
<b>Solubility:</b>	N/A
<b>Volatility:</b>	N/A
<b>Density</b>	N/A
<b>Viscosity</b>	N/A

## 10. Stability and Reactivity

### 10.1 Reactivity

The product has not been tested

### 10.2 Chemical stability

Stable under the recommended handling and storage conditions in section 7.

### 10.3 Possibility of hazardous reactions

Hazardous polymerization will not occur

### 10.4 Conditions to avoid

Accumulation of electrostatic charges, heating, heat, flames, sparks and hot surfaces. Avoid strong oxidizers.

### 10.5 Incompatible material

No further relevant information available

### 10.6 Hazardous decomposition products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>). Material does not decompose at ambient temperature

## 11. Toxicological Information

### On LD/LC50-Values

#### 64742-49-0 Solvent DSP 80/100

Oral	LD50	>5000 mg/kg (rat) (OECD 401)
Dermal	LD50	>3350 mg/kg (rat) (OECD 402)
<b>Inhalation</b>	LC50/ 4h	>20 mg / l (rat) ( OECD 403)

### Primary Irritant effect

On the skin:	No skin sensitizing effects
On the eye:	May cause mild, short-lasting discomfort to eyes
Sensitization:	No sensitizing effects known

## 12. Ecological Information

Aquatic toxicity	
64742-49-0 Solvent DSP 80/100	
Algae toxicity	> 1 - <10mg / l ( algae) (LC50)
Bacterial toxicity	> 1 - <10mg / l ( bacteria) (LC50)
Fish toxicity	> 1 - <10mg / l ( fish) (LC50)
Persistence and degradability	No data available
Bioaccumulative potential:	No data available
Mobility in soil:	No data available

### Ecotoxicity effects:

Toxic for aquatic organisms

Additional ecological information  
Water hazard class 2

A  COMPANY

Danger to drinking water even if small quantities are leak into ground  
In water also poisonous for fish and plankton  
Toxic to aquatic animals

**Results of PBT and vPvB**

PBT: Not applicable  
vPvB: Not applicable

**Other adverse effects**

No data available

**13. Disposal Considerations**

Contain and place in approved container. Dispose of per Local, State, and Federal regulations

**14. Transportation Information**

**Land**

ADR/RID  
Class:3 PG: II UN Number: 1263  
Hazchem code: 3WE  
Transport document: Hydrocarbons, liquid, Class 3, UN 1263, PG II ( -15°C c.c)

**Sea:**

IMDG ( Packaged) Goods & BLCs  
Class: 3 PG: II UN Number:1263  
Marine pollutant: No EMS Number: 3-07  
Risk Label 3:  
Transport document: Hydrocarbon, liquid, class 3, UN 1263, PG II ( -15°C c.c)

**Air**

ICAO/IATA  
Class: 3 PG: II UN Number: 1263  
Proper shipping name: PAINT RELATED MATERIAL  
Hydrocarbons, liquid

**15. Regulatory Information**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

National regulation:  
Technical instructions ( air) highly flammable  
Water hazard class: Class 2 ( Self-assessment): hazardous for water

Other regulation, limitations and prohibitive regulations

BG code  
BGI 595 "Irritating substances/ corrosive substances"  
BGI 621 "Solvent"

**16. Other Information**

**For further product safety information call  
1-800-824-9430**

**Validated and Verified by Dixon Ticonderoga Co.**

This information contained herein is based on data considered accurate. However no warranty is expressed or implied regarding the accuracy of these data or results obtained from the use thereof. Dixon Ticonderoga company assumes no responsibility for personal damage caused by the product. Users assume all risks associated with use.