

BARRICADE® 4FL Herbicide

Date: 6/5/2015
Replaces: 10/17/2014

1. PRODUCT IDENTIFICATION

Product identifier on label: **BARRICADE® 4FL Herbicide**

Product No.: A12333D

Use: Herbicide

Manufacturer: Syngenta Crop Protection, LLC
Post Office Box 18300
Greensboro NC 27419

Manufacturer Phone: 1-800-334-9481

Emergency Phone: 1-800-888-8372

2. HAZARDS IDENTIFICATION

Classifications: Skin Sensitizer: Category 1B
Carcinogenicity: Category 2
Specific Target Organ Toxicity: Repeated Category 2
Specific Target Organ Toxicity: Drowsiness Category 3

Signal Word (OSHA): Warning

Hazard Statements: May cause an allergic skin reaction
May cause drowsiness or dizziness
Suspected of causing cancer
May cause damage to organs through prolonged or repeated exposure

Hazard Symbols:



Precautionary Statements: Use only outdoors or in a well-ventilated area.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
Call a poison center, doctor or Syngenta if you feel unwell.
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe mist, vapors, spray.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves, protective clothing, eye protection.
If on skin: Wash with plenty of soap and water.
If skin irritation or rash occurs: Get medical advice.
If exposed or concerned: Get medical advice/attention.
See Section 4 First Aid Measures.

BARRICADE® 4FL Herbicide

Date: 6/5/2015
Replaces: 10/17/2014

Wash contaminated clothing before reuse.
Store locked up.
Dispose of contents and container in accordance with local regulations.

Other Hazard Statements: None

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | Common Name | CAS Number | Concentration |
|---|-------------------|--------------|---------------|
| 1,2-Propanediol | Propylene Glycol | 57-55-6 | Trade Secret |
| Attapulgate Clay | Attapulgate Clay | 12174-11-7 | Trade Secret |
| Other ingredients | Other ingredients | Trade Secret | 59.3% |
| N3, N3-Di-n-propyl-2,4-dinitro-6-(trifluoromethyl)-m-phenylenediamine | Prodiamine | 29091-21-2 | 40.7% |

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Most important symptoms/effects:

Allergic skin reaction
Drowsiness or dizziness

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.
Treat symptomatically.
Persons suffering a temporary allergic reaction may respond to treatment with antihistamines or steroid creams and/or systemic steroids.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO₂ extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

BARRICADE® 4FL Herbicide

Date: 6/5/2015
 Replaces: 10/17/2014

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

7. HANDLING AND STORAGE

Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Occupational Exposure Limits:

| Chemical Name | OSHA PEL | ACGIH TLV | Other | Source |
|-------------------|-----------------|-----------------|--------------------------|----------------|
| Propylene Glycol | Not Established | Not Established | 10 mg/m ³ TWA | AIHA |
| Attapulgitte Clay | Not Established | Not Established | Not Established | Not Applicable |
| Other ingredients | Not Applicable | Not Applicable | Not Applicable | Not Applicable |
| Prodiamine | Not Established | Not Established | 5 mg/m ³ TWA | Syngenta |

Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

Individual protection measures:

Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact:

Where eye contact is likely, use chemical splash goggles.

BARRICADE® 4FL Herbicide

Date: 6/5/2015
Replaces: 10/17/2014

Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

Inhalation:

A respirator is not normally required when handling this substance. Use effective engineering controls to comply with occupational exposure limits.

In case of emergency spills, use a NIOSH certified respirator with any N, R, P or HE filter.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Yellow liquid

Odor: Weak odor of ammonia

Odor Threshold: Not Available

pH: 8 - 10 (1% suspension in water)

Melting point/freezing point: Not Applicable

Initial boiling point and boiling range: Not Available

Flash Point (Test Method): > 212°F

Flammable Limits (% in Air): Not Available

Flammability: Not Applicable

Vapor Pressure: Prodiamine 5.6×10^{-6} mmHg @ 68°F (20°C)

Vapor Density: Not Available

Relative Density: 1.17 g/cm³ @ 68°F ; 9.76 lb/gal @ 68°F

Solubility (ies): Prodiamine 0.013 ppm @ 77°F (25°C)

Partition coefficient: n-octanol/water: Not Available

Autoignition Temperature: Not Available

Decomposition Temperature: Not Available

Viscosity: Not Available

Other: None

10. STABILITY AND REACTIVITY

Reactivity: Not reactive.

Chemical stability: Stable under normal use and storage conditions.

Possibility of hazardous reactions: Will not occur.

Conditions to Avoid: Thermal, mechanical and electrical ignition sources.

Incompatible materials: None known.

Hazardous Decomposition Products: None known.

BARRICADE® 4FL Herbicide

Date: 6/5/2015
Replaces: 10/17/2014

11. TOXICOLOGICAL INFORMATION

Health effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Drowsiness or dizziness

Delayed, immediate and chronic effects of exposure: Possible carcinogenicity, Allergic skin reaction, Drowsiness or dizziness

Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

| | | |
|---------------------|-------------------------------|---------------------------|
| Ingestion: | Oral (LD50 Rat) : | > 5000 mg/kg body weight |
| Dermal: | Dermal (LD50 Rat) : | > 5000 mg/kg body weight |
| Inhalation: | Inhalation (LC50 Rat) : | > 2.55 mg/l air - 4 hours |
| Eye Contact: | Minimally Irritating (Rabbit) | |
| Skin Contact: | Slightly Irritating (Rabbit) | |
| Skin Sensitization: | Sensitizing (Guinea Pig) | |

Reproductive/Developmental Effects

Prodiamine: Fetal toxicity at high dose levels (rats); developmental and maternal toxicity observed at 1g/kg/day. These were congenital anomalies occurring in test and control animals that are not considered to be treatment related.

Chronic/Subchronic Toxicity Studies

Prodiamine: Liver (alteration and enlargement) and thyroid effects (hormone imbalances) at high dose levels (rats); decreased body weight gains.

Carcinogenicity

Prodiamine: Possible human carcinogen based on limited animal evidence in the absence of human data. Information is insufficient for classification.

| Chemical Name | NTP/IARC/OSHA Carcinogen |
|---|--------------------------|
| 1,2-Propanediol | No |
| Attapulgate Clay | IARC 2B |
| Other ingredients | No |
| N3, N3-Di-n-propyl-2,4-dinitro-6-(trifluoromethyl)-m-phenylenediamine | No |

Other Toxicity Information

None

Toxicity of Other Components

Attapulgate Clay

Prolonged or repeated inhalation of dust may cause a disabling, progressive pulmonary fibrosis. Inhalation hazard may not exist in the liquid form. May cause eye irritation.

Other ingredients

Not Applicable

BARRICADE® 4FL Herbicide

Date: 6/5/2015
 Replaces: 10/17/2014

Propylene Glycol

Reported to cause central nervous system depression (anesthesia, dizziness, confusion), headache and nausea. Also, eye irritation may occur with lacrimation but no residual discomfort or injury. Prolonged contact to skin may cause mild to moderate irritation and possible allergic reactions. Chronic dietary exposure caused kidney and liver injury in experimental animals.

Target Organs

Active Ingredients

Prodiamine: Liver, thyroid

Inert Ingredients

Attapulgit Clay: Lung, eye

Other ingredients: Not Applicable

Propylene Glycol: CNS, kidney, liver

12. ECOLOGICAL INFORMATION

Eco-Acute Toxicity

Prodiamine:

- Fish (Bluegill Sunfish) 96-hour LC50 > 552 ppb
- Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 > 83 ppb
- Bird (Bobwhite Quail) 14-day LD50 > 2250 mg/kg

Environmental Fate

Prodiamine:

The information presented here is for the active ingredient, prodiamine.
 Does not bioaccumulate. Persistent in soil. Stable in water. Immobile in soil. Sinks in water (after 24 h).

13. DISPOSAL CONSIDERATIONS

Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification

Ground Transport - NAFTA
 Not regulated

Comments

Water Transport - International
 Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Prodiamine), Marine Pollutant
 Hazard Class: Class 9
 Identification Number: UN 3082
 Packing Group: PG III

Air Transport

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Prodiamine)

BARRICADE® 4FL Herbicide

Date: 6/5/2015
 Replaces: 10/17/2014

Hazard Class: Class 9
 Identification Number: UN 3082
 Packing Group: PG III

15. REGULATORY INFORMATION

Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution: May be harmful if swallowed, absorbed through skin, or inhaled. Avoid breathing vapor. Avoid contact with skin, eyes, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

EPA Registration Number(s):

100-1139

EPCRA SARA Title III Classification:

Section 311/312 Hazard Classes: Acute Health Hazard
 Chronic Health Hazard

Section 313 Toxic Chemicals: None

CERCLA/SARA 304 Reportable Quantity (RQ):

None

RCRA Hazardous Waste Classification (40 CFR 261):

Not Applicable

TSCA Status:

Exempt from TSCA, subject to FIFRA

16. OTHER INFORMATION

NFPA Hazard Ratings

Health: 2
 Flammability: 1
 Instability: 0

HMIS Hazard Ratings

Health: 2
 Flammability: 1
 Reactivity: 0

| | |
|---|----------|
| 0 | Minimal |
| 1 | Slight |
| 2 | Moderate |
| 3 | Serious |
| 4 | Extreme |
| * | Chronic |

Syngenta Hazard Category: D,S

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 10/1/2001
 Revision Date: 6/5/2015
 Section(s) Revised: 2, 4, 11, 16
 Replaces: 10/17/2014

BARRICADE® 4FL Herbicide

Date: 6/5/2015

Replaces: 10/17/2014

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.