

SIRCHIE NSI609 Ninhydrin Spray, Special Formula Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixtures
Product name	: NSI609 Ninhydrin Spray, Special Formula
Product code	: NSI609
1.2. Recommended use and restrictions of	
Use of the substance/mixture	: Latent fingerprint developer
1.3. Supplier	
SIRCHIE 100 Hunter Place Youngsville, NC 27596 - USA T 919-554-2244; 800-356-7311 - F 919-554-2266 http://www.sirchie.com	; 800-899-8181
1.4. Emergency telephone number	
Emergency number	: 1.800.424.9300 CHEMTREC: 1.800.424.9300
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mi	xture
GHS-US classification	
Flammable liquids H227	Combustible liquid
Category 4 Skin corrosion/irritation H315	Causes skin irritation
Category 2 Serious eye damage/eye H319 irritation Category 2	Causes serious eye irritation
Full text of H statements : see section 16	
2.2. GHS Label elements, including preca	autionary statements
GHS-US labeling	
Hazard pictograms (GHS-US)	: GHS07
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	 H227 - Combustible liquid H315 - Causes skin irritation H319 - Causes serious eye irritation
Precautionary statements (GHS-US)	 P210 - Keep away from open flames No smoking. P264 - Wash hands thoroughly after handling. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - If on skin: Wash with plenty of water P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P321 - Specific treatment (see supplemental first aid instruction on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P370+P378 - In case of fire: Use ABC-powder, foam, alcohol resistant foam to extinguish. P403+P235 - Store in a well-ventilated place. Keep cool. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Methyl nonafluorobutyl ether	(CAS-No.) 163702-07-6	17.86 - 71.44	Not classified
Methyl nonafluoroisobutyl ether	(CAS-No.) 163702-08-7	17.86 - 71.44	Not classified
ninhydrine	(CAS-No.) 485-47-2	5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
ethanol	(CAS-No.) 64-17-5	5	Flam. Liq. 2, H225
acetic acid	(CAS-No.) 64-19-7	0.5	Flam. Liq. 3, H226 Skin Corr. 1A, H314
ethyl acetate	(CAS-No.) 141-78-6	0.2	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow victim to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effect	ts (acute and delayed)
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
4.3. Immediate medical attention and spe	ecial treatment, if necessary
No additional information available	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguish	ing media
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Specific hazards arising from the ch	emical
Reactivity	: No data available.
5.3. Special protective equipment and pr	ecautions for fire-fighters
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release meas	ures
6.1. Personal precautions, protective equ	
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. **Environmental precautions** Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. 6.3. Methods and material for containment and cleaning up Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. **Reference to other sections** 6.4. See Heading 8. Exposure controls and personal protection. **SECTION 7: Handling and storage** Precautions for safe handling 7.1. Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

7.2. Conditions for safe storage, includ	ing any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

on control parameters
acetic acid (64-19-7)
Not applicable
ninhydrine (485-47-2)
Not applicable
ethanol (64-17-5)
Not applicable
ethyl acetate (141-78-6)
Not applicable
Methyl nonafluorobutyl ether (163702-07-6)
Not applicable
Methyl nonafluoroisobutyl ether (163702-08-7)
Not applicable

8.2. Appropriate engineering controls

No additional information available

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Gas mask. Gloves. Safety glasses. Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Respiratory protection:

Wear appropriate mask

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical p	roperties
9.1. Information on basic physical and ch	
Physical state	: Liquid
Appearance	: Clear, colorless liquid.
Color	: Colorless
Odor	: Irritating/pungent odour
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 60 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Literature reports: moderately soluble in water.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No data available.	
10.2. Chemical stability	
Stable under normal conditions. Not established.	
10.3. Possibility of hazardous reactions	
Not established.	
40.4 Conditions to sucid	

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological informat 11.1. Information on toxicological effects	
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
acetic acid (64-19-7)	
LD50 oral rat	3310 mg/kg body weight (Rat, Male/female, Experimental value)
LC50 inhalation rat (mg/l)	11.4 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Female, Experimental value)
ATE US (oral)	3310.000 mg/kg body weight
ATE US (vapors)	11.400 mg/l/4h
ATE US (dust, mist)	11.400 mg/l/4h
ninhydrine (485-47-2)	
LD50 oral rat	600 mg/kg (Rat)
ATE US (oral)	600.000 mg/kg body weight
ethanol (64-17-5)	
LD50 oral rat	10740 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value)
LD50 dermal rabbit	> 16000 mg/kg (Rabbit, Literature study)
LC50 inhalation rat (mg/l)	117 - 125 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male/female, Experimental value)
ethyl acetate (141-78-6)	
LD50 oral rat	10200 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Female, Experimental value)
LD50 dermal rabbit	> 20000 mg/kg body weight (24 hour cuff method, 24 h, Rabbit, Male, Experimental value)
ATE US (oral)	10200.000 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
ethanol (64-17-5)	
Additional information	Ethyl alcohol (200 Proof) has been shown to cause cancer in Human and Animals when
	ingested in volume over time. There is no link to cancer in limited exposure scenarios.
Reproductive toxicity	: Not classified
	Based on available data, the classification criteria are not met
Specific target ergen toxicity _ single expective	: Not classified
Specific target organ toxicity – single exposure	. 1101 6/43311/20
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological in	formation
12.1. Toxicity	
acetic acid (64-19-7)	
LC50 fish 1	> 1000 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value)
EC50 Daphnia 1	> 1000 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ethanol (64-17-5)	
LC50 fish 1	14200 mg/l (US EPA, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
ethyl acetate (141-78-6)	
LC50 fish 1	230 mg/l (US EPA, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 Daphnia 1	154 mg/l (48 h, Daphnia magna, Literature)
2.2. Persistence and degradability	
NSI609 Ninhydrin Spray, Special Formul	a
Persistence and degradability	Not established.
acetic acid (64-19-7)	
Persistence and degradability	Readily biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.6 - 0.74 g O₂/g substance
Chemical oxygen demand (COD)	1.03 g O₂/g substance
ThOD	1.07 g O₂/g substance
ninhydrine (485-47-2)	
Persistence and degradability	Biodegradability in water: no data available.
ThOD	1.53 g O₂/g substance
ethanol (64-17-5)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.8 - 0.967 g O₂/g substance
Chemical oxygen demand (COD)	1.7 g O₂/g substance
ThOD	2.1 g O₂/g substance
BOD (% of ThOD)	0.43
ethyl acetate (141-78-6)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.293 g O₂/g substance
Chemical oxygen demand (COD)	1.69 g O₂/g substance

12.3. Bioaccumulative potential

ThOD

NSI609 Ninhydrin Spray, Special Formula	
Bioaccumulative potential	Not established.
acetic acid (64-19-7)	
BCF fish 1	3.16 (Pisces, Fresh water, QSAR)
Log Pow	-0.17 (Experimental value, 25 °C)
Bioaccumulative potential	Not bioaccumulative.
ninhydrine (485-47-2)	
Bioaccumulative potential	No bioaccumulation data available.
ethanol (64-17-5)	
BCF fish 1	1 (Other, 72 h, Cyprinus carpio, Static system, Fresh water, Read-across)
Log Pow	-0.31 (Experimental value)
Bioaccumulative potential	Not bioaccumulative.
ethyl acetate (141-78-6)	
BCF fish 1	30 (3 day(s), Leuciscus idus, Static system, Experimental value)
Log Pow	0.68 (Experimental value, EPA OPPTS 830.7560, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

1.82 g O₂/g substance

01/19/2018

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

acetic acid (64-19-7)	
Surface tension	26.3 mN/m (30 °C)
Ecology - soil	Highly mobile in soil. May be harmful to plant growth, blooming and fruit formation.
ethanol (64-17-5)	
Surface tension	0.022 N/m (20 °C)
Ecology - soil	Highly mobile in soil.
ethyl acetate (141-78-6)	
Surface tension	0.024 N/m (20 °C)
Ecology - soil	Low potential for adsorption in soil.
2.5. Other adverse effects	
Effect on the global warming	: No known effects from this product.
GWPmix comment	: No known effects from this product.
Other information	: Avoid release to the environment.
SECTION 13: Disposal consideration	IS
3.1. Disposal methods	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
cology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
Department of Transportation (DOT) n accordance with DOT	
	LINI1170 Ethanol colutions 2 III
ransport document description	: UN1170 Ethanol solutions, 3, III
JN-No.(DOT)	: UN1170
Proper Shipping Name (DOT)	: Ethanol solutions
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT)	: III - Minor Danger
lazard labels (DOT)	: 3 - Flammable liquid
	FLAMMABLE LIQUID
	3
OOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
OOT Packaging Bulk (49 CFR 173.xxx)	: 242
OOT Special Provisions (49 CFR 172.102)	: 24 - Alcoholic beverages containing more than 70 percent alcohol by volume must be
	transported as materials in Packing Group II. Alcoholic beverages containing more than 24
	percent but not more than 70 percent alcohol by volume must be transported as materials in Packing Group III.
	B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the
	bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this
	subchapter are applicable.
	IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite
	(31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55
	C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table
	2 for UN2672).
	T2 - 1.5 178.274(d)(2) Normal 178.275(d)(3) TP1 - The maximum degree of filling must not exceed the degree of filling determined by the
	following: Degree of filling = $97 / 1 + a$ (tr - tf) Where: tr is the maximum mean bulk temperature
	during transport, and tf is the temperature in degrees celsius of the liquid during filling.
OOT Packaging Exceptions (49 CFR 173.xxx)	: 4b;150
OOT Quantity Limitations Passenger aircraft/rail	: 60 L
49 CFR 173.27)	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 127
Other information	: No supplementary information available.
Transportation of Dangerous Goods	
Transport by sea	
Transport document description (IMDG)	: UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III
JN-No. (IMDG)	: 1170
Proper Shipping Name (IMDG)	: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: 5 L
Air transport	
Transport document description (IATA)	: UN 1170 Ethanol solution, 3, III
UN-No. (IATA)	: 1170
Proper Shipping Name (IATA)	: Ethanol solution

: 3 - Flammable Liquids

: III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

No additional information available

15.2. International regulations

CANADA

Class (IATA)

Packing group (IATA)

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations	
NSI609 Ninhydrin Spray, Special Formula	
U.S California - Proposition 65 - Carcinogens List	Yes
U.S California - Proposition 65 - Developmental Toxicity	No
U.S California - Proposition 65 - Reproductive Toxicity - Female	No
U.S California - Proposition 65 - Reproductive Toxicity - Male	No

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information	
Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging.
Other information	: None.
Full text of H-phrases:	
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
NFPA health hazard	: 1 - Materials that, under emergency conditions, can cause significant irritation.
NFPA fire hazard	: 1 - Materials that must be preheated before ignition can occur.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating	
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	: 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal protection	: G G - Safety glasses, Gloves, Vapor respirator

SDS US (GHS HazCom 2012)

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.